# Author Index to Volumes 37 and 38

**Please note that A refers to Volume 37 and B refers to Volume 38.**


**Abd El-Ghaffar, M. A.** See Sayyah, S. M., 65A
**Abdel-Hakeem, N.** See Rabie, S. M., 2269B
**Abdel Moteleb, M. M.**
—; Shinouda, H. G.: Effect of the Fine Structure and Electrolytic Contaminations on the Specific Conductance of Some Cellulosic Materials, 2079B
**Abdennabi, A. M.** See Tsonis, C. P., 1809B
**Abdul-Latif, N. A.** See Al-Jarrah, M. M. F., 477B
**Abe, I.** See Koga, J., 2131A
**Abiko, H.** See Miyauchi, S., 289A
**Abo-Shosha, M. H.** See Khalil, M. I., 313B
**Absi-Halabi, M.** See Dairanieh, I. S., 2251A, 2263A; Hovakeemian, G., 727B
**Acevedo, M.**
—; De La Campa, J. G.; De Abajo, J.: Synthesis and Characterization of Imide End-Capped Oligomers of Poly(diethyleneglycol Terephthalate), 1745B
**Adhikari, M.**
—; Ghosh, S. K.: Microporous Clay Membrane Materials for Reverse Osmosis Applications. I. Performance Characteristics from Osmotic Studies, 1125A
**Agathonos, P.**
—; Karaiskakis, G.: Thermodynamic Study of Polymer-Solvent Systems by Reversed-Flow Gas Chromatography, 2237A
**Agrawal, J. P.** See Gupta, D. C., 265B
**Ahmed, I. K.**
—; Rashid, M. A. M.; Kafaf, B. T.: Synthesis, Characterization, and Kinetic Study on the Thermal Decomposition of Polyamidoethers, 1559A
**Ahn, J.-H.** See Ihm, S.-K., 109A
**Airinei, A.** See Chitanu, G., 2417A
**Akar, A.**
Morphology of Polyethylene Produced by Alumina-Supported Zirconium Tetrabenzyl, 1567B
**Akashi, M.** See Miyauchi, N., 915A
**Akhtar, S.** See Kurian, J., 961A
**Ako, M.**
—; Kennedy, J. P.: Polyisobutylene-Based Urethane Foams. II. Synthesis and Properties of Novel Polyisobutylene-Based Flexible Polyurethane Foams, 1351A
**Aksberg, R.**
—; Wågberg, L.: Hydrolysis of Cationic Polyacrylamides, 297B
**Albertsson, A.-C.** See Lundgren, R., 1221A
**Ali, Sk. A.**
—; See Tsonis, C. P., 1899B
—; Tsonis, C. P.; Wazeer, M. I. M.: Homogeneous and Heterogeneous Copolymerization of Styrene and Sulfur Dioxide Using the $(CH_3)_3COOH/SO_2$ Redox System, 3163A
**Al-Jarrah, M. M. F.**
—; Abdul-Latif, N. A.; Al-Madfai, S. H. F.; Apikian, R. L.: Polymerization of Isoprene in *n*-Heptane with Triethylaluminum–Titanium Tetrachloride Catalyst. I. Effect of Al/Ti Ratio on Stereoregularity, Conversion, Molecular Weight, and Molecular Weight Distribution, 477B
**Al-Khalid, T.** See Dairanieh, I. S., 2251A
**Al-Madfai, S. H. F.** See Al-Jarrah, M. M. F., 477B
**Amari, T.** See Nakazato, S., 627B
**Amera, A. M.** See Lawandy, S. N., 283A
**Aminabhavi, T. M.** See Britton, L. N., 227B
**Amin, M.**
—; See Nasr, G. M., 1327A
—; Nasr, G. M.; Khairy, S. A.; Ateia, E.: Influence of Solvent Penetration on the Electrical Conductance of Pre-Extended FEF Carbon Black-Loaded Rubbers, 1209A
**Amiya, S.** See Mochizuki, A., 3385A
**Amram, B.**
—; Laval, F.: Graphitization Studies of Cured Phenolic Resins by High Resolution $^{13}C$-Cross-Polarization Magic Angle Spinning Solid-State NMR Spectroscopy, 1A
**Andersson, M.**
—; Tillman, A.-M.: Acetylation of Jute: Effects on Strength, Rot Resistance, and Hydrophobicity, 3437A
**Andrady, A. L.**
—; Searle, N. D.: Photodegradation of Rigid PVC Formulations. II. Spectral Sensitivity of Light-Induced Yellowing by Polychromatic Light, 2789A
—; Torikai, A.; Fueki, K.: Photodegradation of Rigid PVC Formulations. I. Wavelength Sensitivity to Light-Induced Yellowing by Monochromatic Light, 935A
**Andreopoulos, A. G.**
A New Coupling Agent for Aramid Fibers, 1053B
Preparation and Swelling of Polymeric Hydrogels, 2121A
—; Konstantinidou, A. V.; Petsalas, H. J.: Elastomeric Polyurethanes Reinforced with Aramid Fibers, 2073B
—; See Petsalas, H. J., 593B
**Antal, M.** See Šimkovic, I., 1913B
**Antipova, A. M.** See Goponik, L. V., 1975B
**Apicella, A.** See Mensitieri, G., 381A
**Apikian, R. L.** See Al-Jarrah, M. M. F., 477B
**Arai, K.**
Grafted Chain as Spacer for an Insoluble Polymer Catalyst, 969B
—; Sakamoto, M.; Naito, S.; Takahashi, T.: Crosslinking Structure of Keratin. II. Intermolecular and Intramolecular Crosslinks in Potassium-Cyanide-Treated Wool Fibers, 29B
—; Sasaki, N.; Naito, S.; Takahashi, T.: Crosslinking Structure of Keratin. I. Determination of the Number of Crosslinks in Hair and Wool Keratins from Mechanical Properties of the Swollen Fiber, 1159B
**Arca, E.** See Kaptan, Y., 2577A
**Arora, P. B.**
—; Patel, V. S.; Patel, S. R.: Synthesis, Characterization, and Curing of *o*- and *p*-Chlorophenol-Furfural Resins, 925A
**Arumugam, N.**
—; Tamare Selvy, K.; Venkata Rao, K.; Rajalingam, P . Coconut-Fiber-Reinforced Rubber Composites, 2645A
**Arumugam, V.** See Somanathan, N., 1311A
**Arzamendi, G.**
—; Asua, J. M.: Monomer Addition Policies for Copolymer Composition Control in Semicontinuous Emulsion Copolymerization, 2019B
**Asada, Y.** See Hirai, T., 491B

**Asfour, A.-F. A.**
—; See Saleem, M., 617A
—; Saleem, M.; De Kee, D.; Harrison, B. H.: Diffusion of Saturated Hydrocarbons in Low Density Polyethylene (LDPE) Films, 1503B
**Ashman, R. B.** See Britton, L. N., 227B
**Asua, J. M.** See Arzamendi, G., 2019B
**Ateia, E.** See Amin, M., 1209A
**Auerbach, I.**
Kinetics for the Tensile Strength Degradation of Nylon and Kevlar Yarns, 2213A
**Avram, E.** See Chitanu, G., 2417A

**Baade, W.**
—; Hunkeler, D.; Hamielec, A. E.: Copolymerization of Acrylamide with Cationic Monomers in Solution and Inverse-Microsuspension, 185B
**Badawy, M. M.** See Nasr, G. M., 1327A
**Bair, H. E.** See Hale, A., 1253B
**Balik, C. M.**
—; See Xu, J. R., 173B
—; Said, M. A.; Hare, T. M.: Residual Porosity in Polymeric Latex Films, 557B
**Ban, H.**
—; Deguchi, K.; Tanaka, A.: X-Ray-Induced Reactions and Resist Features of Polydibutylgermane, 1589A
**Bansal, R. K.**
—; Mittal, J.; Singh, P.: Thermal Stability and Degradation Studies of Polyester Resins, 1901A
**Banu, D.** See Feldman, D., 877A
**Baraam, Z.** See Siegmann, A., 1481A, 1567A
**Barkalow, D. G.**
—; Rowell, R. M.; Young, R. A.: A New Approach for the Production of Cellulose Acetate: Acetylation of Mechanical Pulp with Subsequent Isolation of Cellulose Acetate by Differential Solubility, 1009A
**Barlow, J. W.** See Schwarz, M. C., 403A
**Barry, D. B.**
—; Delatycki, O.: The Strain Rate Dependency of Fracture in Polyethylene: Fracture Initiation, 339B
**Bartoš, J.** See Klimová, M., 3449A
**Bataille, P.**
—; See Cousin, P., 3057A
—; Dalpé, J. F.: Loop Polymerization of Vinyl Acetate, 2237B
**Baysal, B. M.** See Yaykin, Ö. T., 2383A
**Běhal, M.**
—; Ducháček, V.: Crosslinking of Poly(vinyl Chloride) with Metal Oxides, Sulfur, and Organo Sulfur Compounds, 429A
**Bell, A. T.** See Papanu, J. S., 859B
**Bellenger, V.**
—; Morel, E.; Verdu, J.: Solubility Parameters of Amine-Crosslinked Aromatic Epoxies, 2563A
**Beltrame, P. L.**
—; Paglia, E. D.; Marcandalli, B.; Seves, A.: Effect of Polypropylene Morphology on Thermal *Cis-Trans* Isomerization and Photofading of Some Azo Dyes: A Kinetic Study, 755B
**Berens, A. R.**
Sorption of Organic Liquids and Vapors by Rigid PVC, 901A
**Berger, A. E.** See Hartmann, B., 2603A
**Bewersdorff, H.-W.** See Ungeheuer, S., 2933A
**Bhagwant Rao, M.** See Kale, V., 1287B
**Bhama Iyer, P.**
—; Sreenivasan, S.; Patel, G. S.; Chidambareswaran, P. K.; Patil, N. B.: Studies on Swelling of Cotton Fibers in Alkali Metal Hydroxides. II. Influence of Morphology and Fine Structure on Tensile Behavior, 1739A
**Bhaskar Rao, V. S.** See Shantha, K. L., 9B
**Bhat, N. V.**
—; Sundaresan, E.: Investigation of Structure of Polyacrylonitrile–Polypyrrole Composite Film, 1173B
**Bhide, B. D.** See Stern, S. A., 2131B
**Bhowmick, A. K.** See Choudhury, N. R., 1091B
**Bi, X.** See Pei, Q., 1819B
**Bindschaedler, C.**
—; Gurny, R.; Doelker, E.: Influence of Emulsifiers on Film Formation from Cellulose Acetate Latexes. Modeling Approach to the Fate of Emulsifiers in Highly Plasticized Films. II, 173A
**Birkinshaw, C.**
—; Buggy, M.; Daly, S.; O'Neill, M.: The Effect of $\gamma$ Radiation on the Physical Structure and Mechanical Properties of Ultrahigh Molecular Weight Polyethylene, 1967B
**Biswas, M.**
—; See Moitra, S., 1855A
—; Majumdar, A.: Synthesis and Some Properties of Anthracene and Anthraquinone Incorporated Poly(vinyl Chloride) and the Ion Exchange Resin Thereform, 1641B
—; Moitra, S.: Synthesis and Some Properties of PVC-Bound Dimethylglyoxime Complexes of Co(II), Ni(II), and Cu(II), 1243B
**Biverstedt, A.** See Jönsson, S., 2037B
**Bloch, B.** See Menif, R., 1065B
**Blum, F. D.** See Sinha, B. R., 163B
**Bontoux, L. G.**
—; Soane, D. S.: Sequential Vapor Sorption of Additional Penetrants in Preswollen Polymers, 915B
**Borggreve, R. J. M.** See Gaymans, R. J., 479A
**Borsig, E.**
—; Fiedlerová, A.; Rychlá, L.; Lazár, M.; Rätzsch, M.; Haudel, G.: Crosslinking of Polypropylene-Polyethylene Blends by Peroxide and the Effect of Pentaerythritol Tetrallyl Ether, 467A
**Bouillon, N.**
—; Pascault, J.-P.; Tighzert, L.: Influence of Different Imidazole Catalysts on Epoxy-Anhydride Copolymerization and on Their Network Properties, 2103B
**Brahatheeswaran, C.** See Gupta, V. B., 1957B
**Bratawidjaja, A. S.**
—; Gitopadmoyo, I.; Watanabe, Y.; Hatakeyama, T.: Adhesive Property of Polypropylene Modified with Maleic Anhydride by Extrusion Molding, 1141A
**Britton, L. N.**
—; Ashman, R. B.; Aminabhavi, T. M.; Cassidy, P. E.: Permeation and Diffusion of Environmental Pollutants through Flexible Polymers, 227B
**Brosse, J. C.** See Epaillard, F., 887B
**Brouwer, W. M.**
The Preparation of Small Polystyrene Latex Particles, 1335B
**Bruno, J. S.** See Vigo, T. L., 371A
**Buggy, M.** See Birkinshaw, C., 1967B
**Burns, C. M.** See Narasimhan, V., 1909A

**Cabasso, I.** See Sahni, S. K., 1653B
**Cakmak, M.**
—; Wang, Y.: The Intrinsic Birefringence of the $\alpha$, $\beta$, and $\gamma$ Forms of Polyvinylidene Fluoride and the Estimation of Orientation in Fibers and Films, 977A
**Calahorra, M. E.**
—; Cortázar, M.; Eguiazábal, J. I.; Guzmán, G. M.: Thermogravimetric Analysis of Cellulose: Effect of the Molecular Weight on Thermal Decomposition, 3305A
**Campo, J. J.** See Rego, J. M., 237B
**Cao, M. Y.** See Chung, C. I., 1339A
**Capiati, N. J.** See Cebollada, A. F., 145A
**Carpov, A.** See Chitanu, G., 2417A
**Carrà, S.** See Storti, G., 2443A
**Carrasco, F.**
—; Chornet, E.; Overend, R. P.; Costa, J.: A Generalized Correlation for the Viscosity of Dextrans in Aqueous Solutions as a Function of Temperature, Concentration, and Molecular Weight at Low Shear Rates, 2087A

**Carson, G.**
—; Granick, S.: Self-Assembly of Octadecyltrichlorosilane Films on Mica, 2767A
**Cassidy, P. E.** See Britton, L. N., 227B
**Catalán, R. E.** See Rivas, B. L., 801B
**Cebollada, A. F.**
—; Schmidt, M. J.; Farber, J. N.; Capiati, N. J.; Vallés, E. M.: Suspension Polymerization of Vinyl Chloride. I. Influence of Viscosity of Suspension Medium on Resin Properties, 145A
**Chaimberg, M.**
—; Parnas, R.; Cohen, Y.: Graft Polymerization of Polyvinylpyrrolidone onto Silica, 2921A
**Chakrapani, S.** See Kulshreshtha, A. K., 669A
**Chamorro, C.** See Ibarra, L., 1197A
**Chan, S.-C.** See Chiang, W.-Y., 1669A
**Chandrasekaran, S.** See Khanna, Y. P., 135B
**Chandrasekhara Rao, T.** See Kale, V., 1287B
**Chang, P.-H.**
—; Wilkie, C. A.: A Mechanism for Flame Retardation of Poly(ethylene Terephthalate), 2245B
**Chang, S.** See Hsiue, G.-H., 2803A
**Chang, S.-Y.**
—; Huang, S. J.; Johnson, J. F.: A Study on the Mechanism of the Curing of Larc–TPI High Temperature Adhesive, 3329A
**Charlet, G.**
—; Gray, D.: Chiroptical Filters from Aqueous (Hydroxypropyl)cellulose Liquid Crystals, 2517A
**Chatterjee, P. C.** See Sitaramam, B. S., 33A
**Chatterji, P. R.**
Gelatin with Hydrophilic/Hydrophobic Grafts and Glutaraldehyde Crosslinks, 2203A
**Chee, K. K.** See Ng, S. C., 3227A
**Chen, C. S.**
—; Pearce, E. M.: The Boron Trifluoride Monoethyl Amine Complex Cured Epoxy Resins, 1105A
**Chen, C.-Y.** See Kuo, J.-F., 529B
**Chen, D.-S.**
—; Jones, F. N.: Liquid Crystalline Acrylic Copolymers for High-Solids Enamel Coatings, 1063A
**Chen, H. H.**
*In Situ* Determination of Calcium Carboxymethylcellulose on a Cellulose Film Via Ion Exchange, 365A
Scratch Resistant Low Friction/Low Surface Energy Coating for Silicon Substrate, 349A
**Chen, J. H.** See Fujiwara, H., 1403A
**Chen, K.**
—; See Zhang, A., 1369B
—; Zhang, A.; Lu, P.; Wu, Z.: Rheological Behavior of Ultrahigh Molecular Weight Polyethylene Semidilute Solutions. II. Effect of Aluminum Stearate, 1377B
**Chen, T. I.** See Kyu, T., 201A
**Cheung, M. F.** See Golovoy, A., 1019A
**Chiang, W.-Y.**
—; Chan, S.-C.: Preparation and Properties of UV-Autocurable BTDA-Based Polyurethane Methacrylates, 1669A
—; Huang, C.-Y.: The Effect of the Soft Segment of Polyurethane on Copolymer-Type Polyacetal/Polyurethane Blends, 951B
—; Yang, S.-Y.: Optimal Compositions of Molded Phenolic Resins and their Properties, 499A
**Chidambareswaran, P. K.** See Bhama Iyer, P., 1739A; Sreenivasan, S., 2191A
**Chiranairadul, P.** See Ko, T.-H., 541A
**Chitanu, G.**
—; Luca, C.; Avram, E.; Airinei, A.; Petrariu, I.; Carpov, A.: Sorption of Organic Compounds on Strong Basic Macroporous Anion Exchangers, 2417A
**Chithambara Thanoo, B.** See Kothandaraman, H., 2253B
**Chiu, W.-Y.**
—; Don, T.-M.: A Study on Viscosity of Suspensions, 2973A
**Choi, K. Y.**
—; See Khan, A. A., 707A
Copolymer Composition Control Policies for Semibatch Free Radical Copolymerization Processes, 1429A
**Chornet, E.** See Carrasco, F., 2087A
**Chou, C. C.** See Lai, J. Y., 1465A
**Chou, L. M.** See Hsieh, K. H., 645B
**Choudhury, N. R.**
—; Bhowmick, A. K.: Compatibilization of Natural Rubber–Polyolefin Thermoplastic Elastomeric Blends by Phase Modification, 1091B
**Chung, B. T. F.**
—; Liu, F.: A Re-evaluation of Heat Transfer Associated with Drawing of Polymers, 1961A
—; Liu, F.: Erratum to 'A Re-evaluation of Heat Transfer Associated with Drawing of Polymers', 975B
**Chung, C. I.**
—; Cao, M. Y.; Liu, C.; Min, K. J.: A Solid Solvent as Processing Aid for Polystyrene, 1339A
**Cigna, G.**
—; Lomellini, P.; Merlotti, M.: Impact Thermoplastics: Combined Role of Rubbery Phase Volume and Particle Size on Toughening Efficiency, 1527A
**Cohen, A.**
—; Dibbs, M. G.: Stress Evolution Analysis in Postforming Cooling, 1541A
**Cohen, G.** See Siegmann, A., 1481A, 1567A
**Cohen, L. A.** See Fowler, M. E., 513A
**Cohen, Y.** See Chaimberg, M., 2921A
**Collar, E. P.** See Laguna, O., 667B
**Congalidis, J. P.** See Richards, J. R., 2727A
**Conner, A. H.** See Wood, B. F., 1373A
**Cooney, J. D.** See Day, M., 323B
**Coopes, I. H.**
—; Griesser, H. J.: The Structure of Organosilicon Plasma-Polymerized Coatings on Metal Substrates, 3413A
**Cortázar, M.** See Calahorra, M. E., 3305A
**Costa, J.** See Carrasco, F., 2087A
**Cousin, P.**
—; Bataille, P.; Schreiber, H. P.; Sapieha, S.: Cellulose-Induced Crosslinking of Polyethylene, 3057A
**Csomorová, K.** See Šimkovic, I., 1913B

**da Costa, R. A.**
—; do Carmo Gonçalves, M.; Ganzarolli de Oliveira, M.; Forti Rubira, A.; Galembeck, F.: Polyethylene Adhesion: Pretreatment with Potassium Permanganate, 3105A
**Dahl, R.** See Hjertberg, T., 1239A
**Dairanieh, I. S.**
—; Absi-Halabi, M.; Lahalih, S.; Al-Khalid, T.: Large Scale Preparation of Melamine-Based Superplasticizing Admixtures. I. Process Optimization, 2251A
—; Lahalih, S. M.; Absi-Halabi, M.; Dashti, A.: Large Scale Preparation of Melamine-Based Superplasticizing Admixtures. II. Pilot Plant Studies, 2263A
**Dais, P.** See Tsiourvas, D., 257B
**Dalpé, J. F.** See Bataille, P., 2237B
**Daly, S.** See Birkinshaw, C., 1967B
**Daneault, C.** See Maldas, B., 751A, 413B; Raj, R. G., 1089A
—; Kokta, B. V.; Maldas, D.: The Xanthate Method of Grafting. XII. Effect of Operating Conditions on the Grafting of Vinyl Monomers onto Wood Pulp, 841B
**Dashti, A.** See Dairanieh, I. S., 2263A
**Datta, R. N.**
Dual Function Curative for NR, 443A
**Datye, K. V.**
—; Palan, B. H.: Effect of Alkali on Filaments of Poly(ethylene Terephthalate) and Its Copolyesters, 1447B
**Day, A.** See Kundu, S. K., 1951B
**Day, M.**
—; Cooney, J. D.; Wiles, D. M.: The Thermal Stability of Poly(aryl–Ether-Ether-Ketone) as Assessed by Thermogravimetry, 323B
**De, P. P.** See Varughese, K. T., 2537A

**De, S. K.** See Debnath, S., 1449A; Kurian, J., 961A; Varughese, K. T., 2537A
**De Abajo, J.** See Acevedo, M., 1745B
**Dean, B. D.**
Impact Modification of Imide Containing Copolymers, 1727A
**Debnath, S.**
—; De, S. K.; Khastgir, D.: Effects of Silane Coupling Agents on Mica-Filled Styrene-Butadiene Rubber, 1449A
**de Candia, F.**
—; Romano, G.: Melting Behavior of *cis*-Polybutadiene Crystallized under Stress, 249B
**Deguchi, K.** See Ban, H., 1589A
**De Kee, D.** See Asfour, A.-F. A., 1503B; Saleem, M., 617A
**De La Campa, J. G.** See Acevedo, M., 1745B
**Delatycki, O.** See Barry, D. B., 339B
**Deleanu, T.** See Hagiopol, C., 947A
**Dembele, F.** See Raj, R. G., 1987B
**de Oliveira, W.**
—; Glasser, W. G.: Engineering Plastics from Lignin. XVI. Starlike Macromers with Propylene Oxide, 3119A
**Derringer, G. C.**
A Model for Service Life of Polyethylene Pipe Exhibiting Ductile–Brittle Transition in Failure Mode, 215A
**De Saja, J. A.** See González, A., 1879B; Pastor, J. M., 2283B
**Deshpande, D. D.** See Tyagi, O. S., 2041A
**Diaz Calleja, R.** See Meseguer Dueñas, J. M., 1645A; Ribes Greus, A., 2549A, 1127B
**Dibbs, M. G.** See Cohen, A., 1541A
**Dittman-McBain, C. B.**
—; Piirma, I.: Influence of Steric Length in Electrosteric Surfactants on Emulsion Polymerization, 1415A
**do Carmo Gonçalves, M.** See da Costa, R. A., 3105A
**Doelker, E.** See Bindschaedler, C., 173A
**Domard, A.**
—; Rinaudo, M.; Terrassin, C.: Adsorption of Chitosan and a Quaternized Derivative on Kaolin, 1799B
**Don, T.-M.** See Chiu, W.-Y., 2973A
**Dosoudilová, I.** See Kaštánek, A., 1883B
**Doukkali, K.** See Tchangai, T., 305B
**Ducháček, V.** See Běhal, M., 429A
**Dufka, O.** See Kaštánek, A., 1883B
**Dulić, N.** See Petrović, Z. S., 1929B
**Dumas, C.**
—; Hsu, C. C.: Propylene Polymerization in a Semibatch Slurry Reactor over Supported $TiCl_4/MgCl_2$/Ethyl Benzoate/Triethyl Aluminum Catalyst. I. Catalytic Behavior, 1605A
—; Hsu, C. C.: Propylene Polymerization in a Semibatch Slurry Reactor over Supported $TiCl_4/MgCl_2$/Ethyl Benzoate/Triethyl Aluminum Catalyst. II. A Kinetic Study Based on a Multisite Model, 1625A
**Duvis, T.** See Papaspyrides, C. D., 1573B
**Dwivedi, A. M.** See Popli, R., 2469A

**Eboatu, A. N.**
—; Olojo, D. O.; Momoh M.: Studies on the Thermal Properties of PVC: Polystyrene Alloy, 2485A
**Ebringerová, A.**
—; Pružinec, J.; Kačuráková, M.; Hromádková, Z.: Effect of Gamma-Radiation on a Water-Insoluble Arabinoxylan, 1919B
**Egawa, H.** See Nonaka, T., 241A
**Eguchi, W.** See Yoshikawa, M., 299A
**Eguiazábai, J. I.** See Calahorra, M. E., 3305A
**Ejike, E. N.**
—; Parish, R. V.; Jideonwo, A.: Insoluble Poly(akylarylphosphine)siloxanes and Their Application as Supports for Catalytic Transition-Metal Complexes, 271B
**El-Hamouly, S. H. H.** See Sayyah, S. M., 65A
**El-Mogahzy, Y. E.** See Gupta, B. S., 899B
**El-Naggar, A. M.**
—; Kim, H. C.; López, L. C.; Wilkes, G. L.: Electron Beam Effects on Polymers. III. Mechanical and Thermal Properties of Electron Beam-Irradiated Poly(phenylene Sulfide), 1655A
**Emerson, J. A.** See Sohn, J. E., 2627A
**Endo, T.**
—; Suga, K.; Orikasa, Y.; Kojima, S.: Radical Copolymerization of Ethylene and 2-Phenyl-3-Vinyloxirane, 1815A
**Ennis, B. C.**
—; Pearce, P. J.; Morris, C. E. M.: Aging and Performance of Structural Film Adhesives. III. Effect of Humidity on a Modern Aerospace Adhesive, 15A
**Epaillard, F.**
—; Brosse, J. C.; Legeay, G.: Plasma-Induced Polymerization, 887B
**Erfang, J.** See Zhonge, X., 3195A
**Evans, R.**
—; Wallis, A. F. A.: Cellulose Molecular Weights Determined by Viscometry, 2331A
—; Wearne, R. H.; Wallis, A. F. A.: Molecular Weight Distribution of Cellulose as Its Tricarbanilate by High Performance Size Exclusion Chromatography, 3291A

**Fang, S.** See Yue-e, F., 821B
**Farber, J. N.** See Cebollada, A. F., 145A
**Farris, R. J.** See Gabriel, C. A., 2205B
**Fay, J. J.** See Murphy, E. A., 267A
**Feldman, D.**
—; Banu, D.; Khoury, M.: Epoxy–Lignin Polyblends. III. Thermal Properties and Infrared Analysis, 877A
**Feng, D.**
—; Venkateshwaran, L. N.; Wilkes, G. L.; Leir, C. M.; Stark, J. E.: Structure-Property Behavior of Elastomeric Segmented PTMO–Ionene Polymers. II., 1549B
**Fernando, P. L.** See Mirabella, F. M., 851A
**Fetters, L. J.** See Zhonge, X., 3195A
**Fiedlerová, A.** See Borsig, E., 467A
**Foister, R. T.** See Madsen, P. A., 1931A
**Forti Rubira, A.** See da Costa, R. A., 3105A
**Fowler, M. E.**
—; Keskkula, H.; Paul, D. R.: Distribution of MBS Emulsion Particles in Immiscible Polystyrene/SAN Blends, 225A
—; Paul, D. R.; Cohen. L. A.; Freed, W. T.: Blends of Imidized Acrylic Polymers with SAN Copolymers and with PVC, 513A
**Fraenkel, D.** See Goldman, M., 1791A
**Freed, W. T.** See Fowler, M. E., 513A
**Fu, F.-S.**
—; Mark, J. E.: Polystyrene–Polyisobutylene Network Composites from *In Situ* Polymerizations, 2757A
**Fu, Z.-F.** See Li, Z.-C., 2171B
**Fueki, K.** See Andrady, A. L., 935A
**Fujita, K.** See Nomura, M., 1029A
**Fujiwara, H.**
—; Shibayama, M.; Chen, J. H.; Nomura, S.: Preparation of High-Strength Poly(vinyl Alcohol) Fibers by Crosslinking Wet Spinning, 1403A
**Fukomori, K.**
—; Kurauchi, T.; Kamigaito, O.: Pulsed NMR Study of Elastomeric Block Copolymer under Deformation, 1313B
**Fukuda, A.** See Hasegawa, K., 3423A, 1581B
**Fukumori, K.** See Takahashi, H., 1837A

**Gabriel, C. A.**
—; Farris, R. J.; Malone, M. F.: Solution Processing of Composite Fibers Containing Rodlike and Thermoplastic Polymers, 2205B
**Galembeck, F.** See da Costa, R. A., 3105A
**Galin, J. C.**
—; Lutringer, G.; Galin, M.: Solubility Properties of Poly(1,1-Difluoroethylene) in Dipolar Aprotic Solvents, 487A

**Galin, M.** See Galin, J. C., 487A
**Gan, S.**
—; Gillham, J. K.; Prime, R. B.: A Methodology for Characterizing Reactive Coatings: Time–Temperature–Transformation (TTT) Analysis of the Competition between Cure, Evaporation, and Thermal Degradation for an Epoxy-Phenolic System, 803A
**Gan, Y. A.** See Seo, T., 997B
**Ganzarolli de Oliveira, M.** See da Costa, R. A., 3105A
**Gaponik, L. V.**
—; Antipova, A. M.; Morozova, T. K.; Mardykin, V. P.: Higher Aluminum Trialkyls and Magnesium Aluminum Alkyls as Components of Ziegler–Natta Catalysts, 1975B
**Gattiglia, E.**
—; Turturro, A.; Pedemonte, E.: Blends of Polyamide 6 with Bisphenol-A Polycarbonate. I. Thermal Properties and Compatibility Aspects, 1807B
**Gaylord, N. G.**
—; Mehta, R.; Kumar, V.; Tazi, M.: High Density Polyethylene-*g*-Maleic Anhydride Preparation in Presence of Electron Donors, 359B
**Gaymans, R. J.**
—; Borggreve, R. J. M.; Spoelstra, A. B.: Ductile Transition in Nylon-Rubber Blends: Influence of Water, 479A
**George, K. E.** See Kurian, T., 987A
**George, R.** See Ninan, K. N., 127A
**Ghadage, R. S.**
—; Ponrathnam, S.; Nadkarni, V. M.: Thermotropic Mesomorphic Polyesters. I. Copolyesters of Terephthalic Acid, Hydroquinone, and Flexible Diols, 1579A
**Ghosh, S. K.** See Adhikari, M., 1125A
**Giddings, J. C.** See Schimpf, M. E., 2059A
**Gilbert, M.** See Obande, O. P., 1713A
**Gilbert, R. G.** See Richards, J. R., 2727A
**Gillham, J. K.** See Gan, S., 803A; Pang, K. P., 1969A, 2115B
**Gitopadmoyo, I.** See Bratawidjaja, A. S., 1141A
**Glasser, W. G.** See de Oliveira, W., 3119A; Kelley, S. S., 2961A; Rials, T. G., 2399A
**Glöckner, G.**
—; Müller, A. H. E.: Gradient High-Performance Liquid Chromatography of Statistical and Block Copolymers of Styrene and *t*-Butyl Methacrylate, 1761B
—; Stickler, M.; Wunderlich, W.: Separation of *stat*-Copoly(styrene/2-Methoxyethyl Methacrylate) Samples According to Composition by Gradient High-Performance Liquid Chromatography, 3147A
**Gölander, C. G.** See Jönsson, S., 2037B
**Goldblatt, R. D.**
—; Park, J. M.; White, R. C.; Matienzo, L. J.; Huang, S. J.; Johnson, J. F.: Photochemical Surface Modification of Poly(ethylene Terephthalate), 335A
**Goldman, M.**
—; Fraenkel, D.; Levin, G.: A Zeolite/Polymer Membrane for Separation of Ethanol-Water Azeotrope, 1791A
**Golovoy, A.**
—; Cheung, M. F.: The Effects of Annealing and Aging in Water on the Properties of an Amorphous Copolyester, 1019A
**Golub, M. A.** See Wydeven, T., 3343A
**Gombotz, W. R.**
—; Guanghui, W.; Hoffman, A. S.: Immobilization of Poly(ethylene Oxide) on Poly(ethylene Terephthalate) Using a Plasma Polymerization Process, 91A
**Gómez-Elvira, J. M.** See Mijangos, C., 1685B
**Gómez Ribelles, J. L.**
—; See Meseguer Dueñas, J. M., 1645A
—; Meseguer Dueñas, J. M.; Monleón Pradas, M.: Dielectric Relaxations in Poly(methyl Acrylate), Poly(ethyl Acrylate), and Poly(butyl Acrylate), 1145B
**González, A.**
—; See Pastor, J. M., 2283B
—; Pastor, J. M.; De Saja, J. A.: Monitoring the UV Degradation of PVC Window Frames by Microhardness Analysis, 1879B
**Göthe, S.** See Jönsson, S., 2037B
**Gotō, K.** See Iida, T., 1685A
**Goto, T.**
—; Maeda, M.; Hibi, S.: High Strength and High Toughness Aromatic Polyamide Fiber. I. Preparation and Properties of Block Poly(*p*-phenylene and 4,4′-Diphenyl Ether Terephthalamide) Fiber, 867A
**Gotoh, H.** See Suto, S., 1147A
**Grabovac, I.**
—; Pearce, P. J.; Morris, C. E. M.: Aging of a Two-Part Epoxy Paste Aerospace Adhesive, 1137A
**Graczyk, T.**
Oxidation of Cellulose by Ceric Ion, 619B
**Granick, S.** See Carson, G., 2767A
**Gray, D.** See Charlet, G., 2517A
**Grebowicz, J.**
—; Pan, R.; Wunderlich, B.: Thermal Properties of Drawn Polytetrafluoroethylene, 707B
**Greco, R.**
—; Maglio, G.; Musto, P.; Scarinzi, G.: Bulk Functionalization of Ethylene–Propylene Copolymers. II. Influence of the Initiator Concentration and of the Copolymer Composition and Chain Microstructure on the Reaction Kinetics, 777A
—; Musto, P.; Riva, F.; Maglio, G.: Bulk Functionalization of Ethylene–Propylene Copolymers. III. Structural and Superreticular Order Investigations, 789A
**Griesser, H. J.** See Coopes, I. H., 3413A
**Griskey, R. G.**
—; Patel, C. A.: Laminar and Turbulent Flow Continuous Interfacial Polycondensations of Nylon 66, 351B
**Guanghui, W.** See Gombotz, W. R., 91A
**Guerrero, S. J.**
Pole Figure Analysis of Poly(vinyl Chloride) Samples: A First Approximation, 923B
**Gueugnaut, D.** See Saint-Royre, D., 147B
**Gupta, A. K.**
—; Jain, A. K.; Maiti, S. N.: Studies on Binary and Ternary Blends of Polypropylene with ABS and LDPE. I. Melt Rheological Behavior, 1699B
**Gupta, B. S.**
—; El-Mogahzy, Y. E.; Selivansky, D.: The Effect of Hot-Wet Draw Ratio on the Coefficient of Friction of Wet-Spun Acrylic Yarns, 899B
**Gupta, D. C.**
—; Agrawal, J. P.; Sharma, R. C.: Effect of Comonomers on Thermal Degradation of Polyacrylonitrile, 265B
**Gupta, S. K.** See Jana, S. C., 979B
**Gupta, V. B.**
—; Brahatheeswaran, C.: Molecular Packing in Nonstoichiometric Epoxide–Amine Networks, 1957B
**Gurny, R.** See Bindschaedler, C., 173A
**Guthrie, J. T.**
—; Kotov, S.: The Radiation-Induced Graft Copolymerization of Methacrylic Acid with Polyethylene. Ion-Exchange Properties of the Copolymeric Composites, 39A
**Güven, O.** See Kaptan, Y., 2577A
**Guzmán, G. M.** See Calahorra, M. E., 3305A

**Ha, C. S.**
—; Kim, S. C.: Tensile Properties and Morphology of the Dynamically Cured EPDM and PP/HDPE Ternary Blends, 317A
**Hadjichristidis, N.** See Liouni, M., 2699A
**Hagiopol, C.**
—; Deleanu, T.; Memetea, T.: Accumulation and Desorption of Free Radicals in Emulsion Copolymerization, 947A
**Hagura, S.** See Seo, T., 3011A

**Haldankar, G. S.**
—; Spencer, H. G.: Properties of Bound Water in Poly(Acrylic Acid) and its Sodium and Potassium Salts Determined by Differential Scanning Calorimetry, 3137A
**Hale, A.**
—; Macosko, C. W.; Bair, H. E.: DSC and $^{13}$C-NMR Studies of the Imidazole-Accelerated Reaction Between Epoxides and Phenols, 1253B
**Hamann, B.** See Schellenberg, J., 1941B
**Hamasaki, T.** See Misaki, T., 2617A
**Hamielec, A. E.** See Baade, W., 185B; Tzoganakis, C., 681A
**Han, K.**
—; Williams, H. L.: Ionomers: The Sodium Salt of Poly(ethylene-co-Methacrylic Acid), 73B
**Hare, T. M.** See Balik, C. M., 557B
**Harland, W. G.** See Otaigbe, J. U., 77A
**Harris, R. F.**
Molecular Weight Advancement of Poly(ethylene Ether Carbonate) Polyols, 463B
Structural Features of Poly(alkylene Ether Carbonate) Diol Oligomers by Capillary Gas Chromatography, 183A
—; McDonald, L. A.: Structural Features of Poly(Alkylene Ether Carbonate) Diols and Intermediates Formed during Their Preparation, 1491A
**Harrison, B.** See Saleem, M., 617A
**Harrison, B. H.** See Asfour, A.-F. A., 1503B
**Hartmann, B.**
—; Simha, R.; Berger, A. E.: PVT Scaling Parameters for Polymer Melts, 2603A
**Hartney, M. A.**
Analysis of Radiation Chemical Yields of Chlorinated Polystyrene Derivatives, 695A
**Hasegawa, K.**
—; Fukuda, A.; Tonogai, S.: Structure and Viscoelastic Properties of Epoxy Resins Prepared from Four-Nuclei Novolacs, 3423A
—; Fukuda, A.; Tonogali, S.; Uede, K.: Structure and Viscoelastic Properties of Epoxy Resins Prepared from *o*-Cresol Novolacs, 1581B
**Hasegawa, M.** See Tamai, H., 403B
**Hashida, S.**
—; Namio, H.; Hirakawa, S.: Surface Morphology and Crystalline Orientation of Uniaxially Drawn Polytetrafluoroethylene Films, 2897A
**Hassan, M. R.** See Maiti, S. N., 2019A
**Hatada, M.** See Kaji, K., 2153A
**Hatakeyama, T.** See Bratawidjaja, A. S., 1141A
**Hatano, Y.** See Mizumachi, H., 3097A
**Haudel, G.** See Borsig, E., 467A
**Havriliak, S., Jr.**
—; Shortridge, T. J.: Effect of *K*-Value on the Tensile Yield Properties of Poly(vinyl Chloride), 2827A
**Hayashi, S.** See Hirai, T., 491B
**Hegazy, E.-S. A.**
—; Taher, N. H.; Kamal, H.: Preparation and Properties of Cationic Membranes Obtained by Radiation Grafting of Methacrylic Acid onto PTFE Films, 1229B
**Hermann, W.** See Sobczak, R., 1739B
—; Sobczak, R.: A New Inductive Detection for the Magnetoviscometer, 2675A
**Hess, D. W.** See Papanu, J. S., 859B
**Heuvel, H. M.** See Huisman, R., 595A
**Hibi, S.** See Goto, T., 867A
**Higuchi, A.**
—; Nakagawa, T.: Permselectivities through Artificial Membranes at a Nonsteady State, 2181A
**Hill, C. G., Jr.** See Wood, B. F., 1373A
**Hirabayashi, Y.**
A Scanning Electron Microscopic Study on the Morphology of Beech Wood (*Fagus crenata*) Copolymerized with Acrolein Using the Xanthate Method of Grafting, 2283A
**Hiraharu, T.** See Lepoutre, P., 2077A
**Hirai, M.** See Sakata, J., 2773A
**Hirai, T.**
—; Asada, Y.; Suzuki, T.; Hayashi, S.; Nambu, M.: Studies on Elastic Hydrogel Membrane. I. Effect of Preparation Conditions on the Membrane Performance, 491B
**Hirai, Y.**
—; Nakajima, T.: Sorption Behavior of Water Vapor into Polyelectrolyte Complex of Poly(Acrylic Acid)/Poly(4-Vinylpyridine), 2275A
**Hirakawa, S.** See Hashida, S., 2897A
**Hirashima, T.** See Koga, J., 2131A
**Hirohata, T.** See Misaki, T., 2617A
**Hirose, T.**
—; Kamiya, Y.; Mizoguchi, K.: Gas Transport in Poly[bis(trifluoroethoxy)phosphazene], 809B
—; Mizoguchi, K.; Kamiya, Y.; Terada, K.: Sorption and Transport of $CO_2$ in Poly(ethylene Terephthalate) Crystallized by Sorption of High-Pressure $CO_2$, 1513A
**Hjertberg, T.** See Ulrén, L., 1269A
—; Dahl, R.; Sörvik, E.: Reaction Rate and MWD Changes in Crosslinking of PVC, with Dithioltriazine, 1239A
—; Lakso, J.-E.: Functional Group Efficiency in Adhesion between Polyethylene and Aluminum, 1287A
—; Sultan, B.-Å.; Sörvik, E. M.: The Effect of Corona Discharge Treatment of Ethylene Copolymers on Their Adhesion to Aluminum, 1183A
**Hoffman, A. S.** See Gombotz, W. R., 91A
**Hopfenberg, H. B.** See Stewart, M. E., 1111B
**Horie, I.** See Nomura, M., 1029A
**Horrocks, A. R.**
—; Price, D.; Tunc, M.: Studies on the Temperature Dependence of Extinction Oxygen Index Values for Cellulosic Fabrics. II. Commercial Quality Flame-Retarded Cotton, 1051A
**Horvath, L.** See Petrović, Z. S., 1929B
**Hovakeemian, G.**
—; Absi-Halabi, M.; Lahalih, S. M.: Water-Soluble Sulfonated Amino–Formaldehyde Resins. IV. Melamine–Urea Resins: Synthesis and Properties, 727B
**Howley, P. S.** See Rowland, S. P., 2371A
**Hozumi, K.** See Yoshimura, K., 1011B
**Hromádková, Z.** See Ebringerová, A., 1919B
**Hsieh, K. H.**
—; Chou, L. M.: Interpenetrating Polymer Networks of Polyurethane and Polystyrene Ionomers, 645B
—; Wu, M. L.: Mechanical Behavior of Polyurethane and Polystyrene Ionomeric Blends, 3471A
**Hsieh, Y.-L.**
—; Timm, D. A.; Wu, M.: Solvent- and Glow-Discharge-Induced Surface Wetting and Morphological Changes of Poly(ethylene Terephthalate) (PET), 1719B
**Hsiue, G. H.**
—; Liu, C. H.; Wang, C. C.: Preparation of Glucose Oxidase Membrane for the Application of Glucose Sensor by Plasma Activation, 1591B
—; Yeh, T.-S.; Chang, S.: The Thermal Shrinkage of the Drawing Poly(Ethylene Isophthalate Terephthalate) Copolyester Films, 2803A
**Hsu, C. C.** See Dumas, C., 1605A, 1625A
**Huang, C.-Y.** See Chiang, W.-Y., 951B
**Huang, M.-Z.** See Li, Z.-C., 2171B
**Huang, R. Y. M.** See Narasimhan, V., 1909A
—; Rhim, J.-W.: Synthesis of Nylon 4 through the Use of the Carbon Dioxide/Potassium Pyrrolydonate Catalyst System with and without Added 18-Crown-6 Ether Activator, 55A
**Huang, S. J.** See Chang, S.-Y., 3329A; Goldblatt, R. D., 335A
**Huisman, R.**
—; Heuvel, H. M.: The Effect of Spinning Speed and Drawing Temperature on Structure and Properties of Poly(ethylene Terephthalate) Yarns, 595A
**Hunkeler, D.** See Baade, W., 185B
**Hussain, G. F. S.** See Nachane, R. P., 21B
**Hwang, S.-T.** See Ito, A., 483B

**Ibarra, L.**
—; Chamorro, C.: Reinforcement of EPDM Matrices with Carbon and Polyester Fibers—Mechanical and Dynamical Properties, 1197A
**Idage, B. B.** See Idage, S. B., 2057B
**Idage, S. B.**
—; Idage, B. B.; Vernekar, S. P.: Polyaramides Containing Arylene Sulfone Ether Linkages, 2057B
**Idehen, K. I.** See Okieimen, F. E., 1253A
**Ihm, S.-K.**
—; Ahn, J.-H.; Widdecke, H.; Struß, K.; Klein, J.: Diffusional Aspects for the Chlorination of the Sulfonated Poly(styrene-co-Divinylbenzene) Resin Beads, 109A
**Iida, T.**
—; Kawato, J.; Tanie, S.; Gotō, K.: Stabilization of Poly(vinyl Chloride). X. Synergisms between Epoxidized Polybutadienes and Metal Soaps on the Stabilization of Poly(vinyl Chloride), 1685A
**Iijima, T.** See Seo, T., 3011A, 997B
**Ikeda, T.**
—; Inubushi, S.; Tazuke, S.: Fluorescence Polarization Study of the Curing Process of Epoxide with Aminiride, 2949A
**Ikemura, T.** See Ishihara, Y., 1491B
**Ikuta, N.** See Koga, J., 2131A
**Im, S. S.**
—; Lee, H. S.: Kinetics Studies of Solvent-Induced Crystallization of Drawn Poly(ethylene Terephthalate) by the In Situ Density Measurement, 1801A
**Inagaki, N.**
—; Tasaka, S.; Mase, T.: CO Gas Sensor Devices Plasma-Polymerized from Tetramethyltin, 2341A
—; Tasaka, S.; Miyazaki, H.: Sulfonic Acid Group-Containing Thin Films Prepared by Plasma Polymerization, 1829B
—; Tasaka, S.; Murata, T.: Plasma Polymerization of Perfluoro-2-Butyltetrahydrofuran/Methane and Perfluorobenzene/Tetrafluoromethane Mixtures and Gas Permeation Properties of the Plasma Polymers, 1869B
**Inubushi, S.** See Ikeda, T., 2949A
**Iriarte, M.** See Iribarren, J. I., 3459A
**Iribarren, J. I.**
—; Iriarte, M.; Uriarte, C.; Iruin, J. J.: Phenoxy Resin: Characterization, Solution Properties, and Inverse Gas Chromatography Investigation of Its Potential Miscibility with Other Polymers, 3459A
**Iruin, J. J.** See Iribarren, J. I., 3459A
**Ishida, H.** See Nigro, J., 2191B
**Ishida, S.-I.** See Sue, H., 1305B
**Ishigaki, I.** See Momose, T., 2165A, 2817A, 2091B
**Ishihara, Y.**
—; Nambu, H.; Ikemura, T.; Takesue, T.: Effect of Branching of Polyolefin Backbone Chain on Catalytic Gasification Reaction, 1491B
**Ishitobi, W.** See Ogawa, T., 87B
**Ishiyama, K.** See Nagai, K., 2183B
**Ishizu, A.** See Kondo, T., 3003A
**Israel, S. C.** See Papathomas, K. I., 1077B
**Ito, A.**
—; Hwang, S.-T.: Permeation of Propane and Propylene through Cellulosic Polymer Membranes, 483B
**Itoh, M.** See Yamaura, K., 2709A
**Iwakura, M.** See Senuma, M., 2837A
**Iyer, P. B.** See Sreenivasan, S., 2191A

**Jain, A. K.** See Gupta, A. K., 1699B
**Jain, K. K.** See Saroop, U. K., 1401B, 1421B
**Jana, S. C.**
—; Gupta, S. K.: Irreversible Step Growth Polymerization Having Segmental Diffusion Limitations in HCSTRs—Simulation and Steady State Multiplicity, 979B
**Janicki, J.** See Włochowicz, A., 1469B
**Jasse, B.** See Menif, R., 1065B
**Jiadong, H.**
—; Ruofeng, W.; Lu, L.; Peirong, Y.: The Compatibility of a Polymer Catalyst-Substrate-Solvent and its Reaction Rate. I., 1211B
**Jideonwo, A.** See Ejike, E. N., 271B
**Jinan, C.**
—; Kikutani, T.; Takaku, A.; Shimizu, J.: Nonisothermal Orientation-Induced Crystallization in Melt-Spinning of Polypropylene, 2683A
**Jingguo, Z.** See Zhonge, X., 3195A
**Jinta, K.** See Ogawa, T., 87B
**Johnson, J. F.** See Chang, S.-Y., 3329A; Goldblatt, R. D., 335A
**Joko, K.** See Koga, J., 2131A
**Jones, F. N.** See Chen, D.-S., 1063A
**Jönsson, S.**
—; Gölander, C. G.; Biverstedt, A.; Göthe, S.; Stenius, P.: Adhesion of Photocurable Acrylates to Solid Polymer Substrates, 2037B
**Joshi, K. A.**
—; Naik, G. A.; Nevrekar, N. B.: Quality Assessment of Polyester Chips and Yarn by TMS-2, 661A
**Jun, Y.**
—; Rongnan, X.; Juntan, Y.: Swelling of Porous Ethylvinylbenzene–Divinylbenzene Copolymers and the Stability of the Pore Structure, 45B
**Juntan, Y.** See Jun, Y., 45B

**Kačuráková, M.** See Ebringerová, A., 1919B
**Kaeriyama, K.** See Senuma, M., 2837A
**Kaetsu, I.** See Kumakura, M., 2227A
**Kafaf, B. T.** See Ahmed, I. K., 1559A
**Kagiyama, Y.** See Ohmura, N., 1025B
**Kaji, K.**
—; Hatada, M.; Yoshizawa, I.; Kohara, C.; Komai, K.: Preparation of Hydrophilic Polyethylene Foam of Open Cell Type by Radiation Grafting of Acrylic Acid, 2153A
**Kale, V.**
—; Vijayalakshmi, P.; Chandrasekhara Rao, T.; Subbarao, R.; Lakshminarayana, G.; Bhagwant Rao, M.: Kinetics of Reaction of $C_{21}$ Cycloaliphatic Dicarboxylic Acid and Ethylenediamine, 1287B
**Kalfoglou, N. K.** See Kallitsis, J. K., 453A
**Kallitsis, J. K.**
—; Kalfoglou, N. K.: Compatibility of Epoxidized Natural Rubber with Thermoplastic and Thermosetting Resins, 453A
**Kamal, H.** See Hegazy, E.-S. A., 1229B
**Kamel, I. L.** See Krishnamurthy, V., 605B
**Kamigaito, O.** See Fukomori, K., 1313B; Okada, A., 1363A; Takahashi, H., 1837A
**Kamiya, Y.** See Hirose, T., 1513A, 809B
**Kanbara, T.** See Seo, T., 3011A, 997B
**Kang, E. T.** See Neoh, K. G., 2169A, 2009B
**Kantouch, A.** See Khalil, M. I., 313B
**Kaptan, Y.**
—; Pekcan, Ö.; Arca, E.; Güven, O.: Determination of Diffusion Coefficient of Oxygen into Polymers by Using Electron Spin Resonance Spectroscopy. I. Poly(methyl Methacrylate), 2577A
**Karaiskakis, G.** See Agathonos, P., 2237A
**Karasawa, M.** See Suto, S., 737A, 1147A
**Kaštánek, A.**
—; Dufka, O.; Dosoudilová, I.: Molecular Weight Distribution of Poly(ethylene Adipate) and Its Changes Caused by Aging, 1883B
**Katakai, A.** See Omichi, H., 2429A
**Kataoka, T.** See Maekawa, M., 2141A
**Katime, I.** See Rego, J. M., 237B
**Kaushik, V. K.** See Kulshreshtha, A. K., 669A
**Kavesh, S.** See Khanna, Y. P., 571B
**Kawaguchi, K.** See Koga, J., 2131A
**Kawasumi, M.** See Okada, A., 1363A
**Kawato, J.** See Iida, T., 1685A

**Kelley, S. S.**
—; Ward, T. C.; Rials, T. G.; Glasser, W. G.: Engineering Plastics from Lignin. XVII. Effect of Molecular Weight on Polyurethane Film Properties, 2961A
**Kelly, J.** See Louden, J. D., 3237A
**Kennedy, J. P.** See Ako, M., 1351A; Tant, M. R., 2873A
**Kenny, J. M.** See Mensitieri, G., 381A
**Keskkula, H.** See Fowler, M. E., 225A
**Khairy, S. A.** See Amin, M., 1209A
**Khalil, A. A.** See Shaaban, A. F., 2051A
**Khalil, M. I.**
—; Wally, A.; Kantouch, A.; Abo-Shosha, M. H.: Preparation of Ion-Exchange Celluloses. I. Anion Exchange Celluloses, 313B
**Khan, A. A.**
—; Choi, K. Y.: Steady-State and Transient Behavior of a Continuous Polyethylene Terephthalate Condensation Polymerization Process. I. Melt Transesterification Stage, 707A
**Khanna, A.**
—; Kumar, A.: An Analytical Solution of the Molecular Weight Distribution of Reversible Step Growth Polymerization in Homogeneous Continuous Flow Stirred Tank Reactors, 3205A
**Khanna, Y. P.**
Estimation of Polymer Crystallinity by Dynamic Mechanical Techniques, 2719A
—; Taylor, T. J.; Chandrasekaran, S.: Dielectric Properties of Halar, an Alternating Copolymer of Ethylene and Chlorotrifluoroethylene, 135B
—; Wenner, W. M.; Kumar, R.; Kavesh, S.: Dynamic Mechanical Analysis of Fibers. I. Effect of Experimental Variables and Material Type, 571B
**Khastgir, D.** See Debnath, S., 1449A
**Khoury, M.** See Feldman, D., 877A
**Kikutani, T.** See Jinan, C., 2683A
**Killgoar, P. C., Jr.** See Mazich, K. A., 1877A
**Kim, H.-C.** See El-Naggar, A. M., 1655A
—; Song, J. H.; Wilkes, G. L.; Smith, S. D.; McGrath, J. E.: Electron Beam Effects on Polymers. II. Surface Modification of Bis-GMA Substrates by Functionalized Siloxane Oligomers, 1515B
**Kim, K.-J.**
—; Ko, S. W.: Degradation Mechanism and Morphological Change of PET by PEG-Diamine, 2855A
—; Ruckenstein, E.: Preparation of Latex Carriers for Controlled Release by Concentrated Emulsion Polymerization, 441B
**Kim, S. C.** See Ha, C. S., 317A
**Kirkland, J. J.**
—; Rementer, S. W.; Yau, W. W.: Polymer Characterization by Thermal Field Flow Fractionation with a Continuous Viscosity Detector, 1383B
**Kishore, K.**
—; Rajalingam, P.: Polymer-Filler Interactions in Hydroxy-Terminated Polybutadiene-Ammonium Perchlorate System in the Presence of a Bonding Agent, 2845A
**Kitade, T.** See Yoshimura, K., 1011B
**Kitamura, K.** See Yoshimura, K., 1011B
**Kiyohara, T.** See Sada, E., 687B
**Klein, J.** See Ihm, S.-K., 109A
**Klimová, M.**
—; Szöcs, F.; Bartoš, J.; Vacek, K.; Pallanová, M.: ESR and DSC Study of the Radiation Crosslinking Effect on Macroradical Decay in Poly(vinylidene Fluoride), 3449A
**Ko, C. U.**
—; Wilkes, G. L.; Wong, C. P.: Morphological Studies of Blends Containing Liquid Crystalline Polymers with Poly(ethylene Terephthalate), 3063A
**Ko, S. W.** See Kim, K. J., 2855A
**Ko, T.-H.**
—; Chiranairadul, P.; Ting, H.-Y.; Lin, C.-H.: The Effect of Modification on Structure and Dynamic Mechanical Behavior During the Processing of Acrylic Fiber to Stabilized Fiber, 541A
—; Lin, C.-H.; Ting, H.-Y.: Structural Changes and Molecular Motion of Polyacrylonitrile Fibers During Pyrolysis, 553A
**Koberstein, J. T.** See Sohn, J. E., 2627A
**Koco, F.** See Petrović, Z. S., 1929B
**Koga, J.**
—; Kawaguchi, K.; Nishio, E.; Joko, K.; Ikuta, N.; Abe, I.; Hirashima, T.: FTIR Study on Structural Transformation of Keratin Films Induced by Stretching, 2131A
**Kohara, C.** See Kaji, K., 2153A
**Kojima, S.** See Endo, T., 1815A
**Kokta, B. V.** See Daneault, C., 841B; Maldas, B., 751A; Maldas, D., 413B; Raj, R. G., 1089A, 1987B
**Kolínský, M.** See Ševčík, S., 2033A
**Komai, K.** See Kaji, K., 2153A
**Kondo, T.**
—; Ishizu, A.; Nakano, J.: Preparation of Glycidyl Celluloses from Completely Allylated Methylcellulose and Tri-*O*-allylcellulose, 3003A
**Konstantinidou, A. V.** See Andreopoulos, A. G., 2073B
**Koppelmann, J.** See Schwarz, T., 3335A, 1B
**Koros, W. J.** See Stewart, M. E., 1111B
**Koseki, K.** See Omote, T., 389B; Yamaoka, T., 1271B
**Kothandaraman, H.**
—; Venkatarao, K.; Chithambara Thanoo, B.; Krishnamoorthy, V. N.: Synthesis, Characterization, and Propellant Binder Studies of New Polyurethanes, 2253B
**Kotov, S.** See Guthrie, J. T., 39A
**Kotzeva, L.**
—; Mateva, R.; Nikolova, N.; Kovacheva, P.: A Study of Thermal Degradation Kinetics and Mechanism of Vinyl Acetate and Itaconic Acid Copolymers, 1439B
**Kovacheva, P.** See Kotzeva, L., 1439B
**Kress, A. O.** See Mathias, L. J., 1037B
**Krishna Iyer, K. R.**. See Nachane, R. P., 21B
**Krishnamoorthy, V. N.** See Kothandaraman, H., 2253B
**Krishnamurthy, V.**
—; Kamel, I. L.; Wei, Y.: Fourier Transform Infrared Analysis of Plasma-Polymerized Hexamethyldisiloxane, 605B
**Krishnamurti, N.** See Shantha, K. L., 2987A
**Krishnan, K.** See Ninan, K. N., 127A
**Kubo, M.** See Nomura, M., 1029A
**Kubota, H.**
—; Ogiwara, Y.: Vapor Phase Photografting of Methyl Methacrylate on Polymer Films: Accelerating Effects of Solvent Mixed with Monomer, 717B
**Kudo, K.** See Suto, S., 737A
**Kulshreshtha, A. K.**
—; Kaushik, V. K.; Pandey, G. C.; Chakrapani, S.; Sharma, Y. N.: ESCA and Other Morphological Investigations of Brittle Failure Caused by an Environmental Stress Cracking (ESC) of a HDPE Milk Crate, 669A
**Kumakura, M.**
—; Kaetsu, I.: Porous Substances Immobilizing Enzymes with Polymer Matrix, 2229A
**Kumar, A.** See Khanna, A., 3205A
**Kumar, R.** See Khanna, Y. P., 571B
**Kumar, V.** See Gaylord, N. G., 359B
**Kumazawa, H.** See Sada, E., 687B
**Kundu, S. K.**
—; Ray, P. K.; Day, A.; Sen, S. K.: Infrared Spectra of Acrylonitrile Grafted Jute Fibers, 1951B
**Kuo, J.-F.**
—; Chen, C.-Y.; Luo, S.-H.; Pan, T.-C.: A Method for the Calculation of Compositions of Radical-Chain Copolymerizations, 529B
**Kuramoto, N.** See Nagai, K., 2183B
—; Sakoh, K.; Nagai, K.: Copolymerization of Styrene with Fumaronitrile Initiated by L-Ascorbic Acid, 65B

**Kurauchi, T.** See Fukomori, K., 1313B; Okada, A., 1363A; Takahashi, H., 1837A
**Kurian, J.**
—; Akhtar, S.; Nando, G. B.; De, S. K.: Scanning Electron Microscopy Studies on Tensile Failure of Polyethylene-Filled Natural Rubber Vulcanizates, 961A
**Kurian, T.**
—; George, K. E.: Effect of Vulcanization Temperature on the Technical Properties of NR, SBR, and BR, 987A
**Kusahara, M.** See Miyauchi, N., 915A
**Kusefoglu, S. A.** See Mathias, L. J., 1037B
**Kwei, T. K.** See Zhu, K. J., 573A
**Kyu, T.**
—; Chen, T. I.; Park, H.-S.; White, J. L.: Miscibility in Poly-*p*-Phenylene Terephthalamide/Nylon 6 and Nylon 66 Molecular Composites, 201A

**Laguna, O.**
—; Collar, E. P.; Taranco, J.: Reuse of Plastics Recovered from Solid Wastes. Thermal and Morphological Studies from HDPE/LDPE Blends, 667B
**Lahalih, S. M.** See Dairanieh, I. S., 2251A, 2263A; Hovakeemian, G., 727B
**Lai, J. Y.**
—; Chou, C. C.: Plasma-Modified Nylon 4 Membrane for Dialysis, 1465A
—; Shieh, J. J.; Shyu, S. S.: MMA/TPX Homograft Membrane for Oxygen Enrichment, 2907A
**Lakshminarayana, G.** See Kale, V., 1287B
**Lakso, J.-E.** See Hjertberg, T., 1287A
**La Mantia, F. P.**
—; Valenza, A.; Paci, M.; Magagnini, P. L.: Liquid Crystal Polymers (LCP) as Processing Aids and Reinforcing Agents. A Study of Nylon 6/LCP Blends, 583B
**Laupretre, F.** See Menif, R., 1065B
**Laval, F.** See Amram, B., 1A
**Lawandy, S. N.**
—; Amera, A. M.: Correlated Color Temperature Detection of Radiation Damage in Thermoplastic Polyurethane, 283A
—; Wassef, M. T.: Long Term Oil-Seal Embrittlement, 567A
**Lazár, M.** See Borsig, E., 467A
**Ledakowicz, S.** See Sójka-Ledakowicz, J., 3177A
**Lee, C. H.** See Mijović, J., 889A, 2155B
—; Mallinson, R. G.: Molecular Weight Distribution in Continuous Stirred Tank Vinyl Acetate Emulsion Polymerization, 3315A
**Lee, H. S.** See Im, S. S., 1801A
**Lee, L. J.** See Molnar, J. A., Jr., 2295A; Nelson, M., 251A; Yang, Y. S., 2313A
**Lee, L. T.** See Yang, C.-P., 1699A;
**Lee, W.-F.**
Comparative Study of Various Methods for Thermal Degradation of Poly[3-Dimethyl(methacryloyloxyethyl) Ammonium Propanesulfonate], 3263A
**Lee, Y.-D.** See Teh Hu, A., 1863A
**Legeay, G.** See Epaillard, F., 887B
**Leir, C. M.** See Feng, D., 1549B
—; Stark, J. E.: Ionene Elastomers from Polytetramethylene Oxide Diamines and Reactive Dihalides. I. Effect of Dihalide Structure on Polymerization and Thermal Reversibility, 1535B
**Lepoutre, P.**
—; Hiraharu, T.: On the Cohesion of Clay and $CaCO_3$ Coatings, 2077A
**Lerner, N. R.** See Wydeven, T., 3343A
**Lesnikovich, A. I.** See Levchik, S. V., 1319A
**Levchik, G. F.** See Levchik, S. V., 1319A
**Levchik, S. V.**
—; Levchik, G. F.; Lesnikovich, A. I.: Invariant Kinetic Parameters of Polymer Thermolysis. II. Butyl Rubber Pyrolysis, 1319A
**Levin G.** See Goldman, M., 1791A
**Li, Z.-C.**
—; Fu, Z.-F.; Huang, M.-Z.; Miao, J.-K.; Lian, N.: Graft Copolymer of Gelatin/Butyl Acrylate and Its Use in the Dye Transferring Blank Film, 2171B
**Lian, N.** See Li, Z.-C., 2171B
**Liaw, D.-J.**
—; Lin, L.-L.: Studies on Graft Copolymerization of Cyclohexyl Methacrylate onto 1,2-Polybutadiene, 1993A
**Lin, C.-H.** See Ko, T.-H., 541A, 553A
**Lin, L.-L.** See Liaw, D.-J., 1993A
**Liouni, M.**
—; Touloupis, C.; Hadjichristidis, N.; Mays, J. W.: Viscosity–Temperature Relationships for Linear and 12-Arm Star Polystyrenes in Dilute Solution, 2699A
**Liu, C.** See Chung, C. I., 1339A
**Liu, C. H.** See Hsiue, G. H., 1591B
**Liu, F.** See Chung, B. T. F., 1961A, 975B
**Lo, S. K. T.** See Yang, Y. S., 2313A
**Lomellini, P.** See Cigna, G., 1527A
**López, L. C.** See El-Naggar, A. M., 1655A
**Louden, J. D.**
—; Kelly, J.; Phillipson, J.: Methylcentralite Concentration Profiles in Monoperforated Extruded Nitrocellulose and Nitrocellulose/Nitroglycerine Propellant Grains by Raman Microspectroscopy, 3237A
**Lu, L.** See Jiadong, H., 1211B
**Lu, P.** See Chen, K., 1377B
**Luca, C.** See Chitanu, G., 2417A
**Lundgren, R.**
—; Sandén, R.; Albertsson, A.-C.: A Facile Method for the Study of Slow Physical and Chemical Processes in Polymeric Systems, 1221A
**Luo, S.-H.** See Kuo, J.-F., 529B
**Lutringer, G.** See Galin, J. C., 487A

**Macosko, C. W.** See Hale, A., 1253B
**Madsen, P. A.**
—; Foister, R. T.: Network Structure and Properties of Imidazole-Cured Epoxy Novolac Adhesives, 1931A
**Maeda, H.** See Nonaka, T., 241A
**Maeda, M.** See Goto, T., 867A
**Maekawa, M.**
—; Udaka, M.; Sasaki, M.; Tujii, Y.; Yoshida, H.; Kataoka, T.; Nango, M.: Diffusion Mechanism of Direct Dyes into a Cellulose Membrane: The Structural Effect of Direct Dyes on the Adsorption Rate, 2141A
**Magagnini, P. L.** See La Mantia, F. P., 583B
**Maglio, G.** See Greco, R., 777A, 789A
**Mahapatro, P. K.** See Maiti, S. N., 1889A
**Maiti, S. N.** See Gupta, A. K., 1699B; Saroop, U. K., 1401B, 1421B
—; Hassan, M. R.: Melt Rheological Properties of Polypropylene–Wood Flour Composites, 2019A
—; Mahapatro, P. K.: Crystallization of PP in PP/Ni Composites and its Correlation with Tensile Properties, 1889A
**Majumdar, A.** See Biswas, M., 1641B
**Maldas, B.**
—; Kokta, B. V.; Daneault, C.: Influence of Coupling Agents and Treatments on the Mechanical Properties of Cellulose Fiber–Polystyrene Composites, 751A
**Maldas, D.** See Daneault, C., 841B; Raj, R. G., 1089A
—; Kokta, B. V.; Daneault, C.: Thermoplastic Composites of Polystyrene: Effect of Different Wood Species on Mechanical Properties, 413B
**Mallinson, R. G.** See Lee, C. H., 3315A
**Malone, M. F.** See Gabriel, C. A., 2205B
**Manrich, S.**
—; Marcondes Agnelli, J. A.: The Effect of Chemical Treatment of Wood and Polymer Characteristics on the Properties of Wood–Polymer Composites, 1777A
**Manser, G. E.** See Murphy, E. A., 267A
**Marcandalli, B.** See Beltrame, P. L., 755B
**Marcondes Agnelli, J. A.** See Manrich, S., 1777A
**Mardykin, V. P.** See Gaponik, L. V., 1975B
**Mark, J. E.** See Fu, F.-S., 2757A

**Martin, D. C.**
—; Novak, G. E.; Wyzgoski, M. G.: Fatigue Fracture of Reaction Injection Molded (RIM) Nylon Composites, 3029A
**Martínez, G.** See Mijangos, C., 1685B
**Martinez, R. J.** See Rye, R. R., 2529A
**Marx-Figini, M.**
—; Rex Gonzalez, F.: Shear Rate Dependence of the Viscosity of Cellulose Nitrate Solutions in the Dilute Concentration Regime Revisited, 219B
**Maschio, G.**
—; Moutier, C.: Polymerization Reactor: The Influence of "Gel Effect" in Batch and Continuous Solution Polymerization of Methyl Methacrylate, 825A
**Mase, T.** See Inagaki, N., 2341A
**Mateva, R.** See Kotzeva, L., 1439B
**Mathias, L. J.**
—; Kusefoglu, S. A.; Kress, A. O.: A Simple One-Step Synthesis of Unsaturated Copolyesters, 1037B
**Matienzo, L. J.** See Goldblatt, R. D., 335A
**Matsui, K.** See Nagase, Y., 1259A
**Matsuoka, T.** See Takahashi, H., 1837A
**Matsuzawa, S.** See Yamaura, K., 2709A, 3251A
**Maturana, H. A.** See Rivas, B. L., 801B
**Mauzac, O.**
—; Schirrer, R.: Effect of Particle Volume Fraction on Crack-Tip Crazes in High Impact Poly(methyl Methacrylate), 2289B
**Mayhan, K. G.** See Miraglia, S. J., 2303B
**Mays, J. W.** See Liouni, M., 2699A
**Mazich, K. A.**
—; Plummer, H. K., Jr.; Samus, M. A.; Killgoar, P. C.: Mean Field Calculations of the Dynamic Mechanical Properties of Two-Phase Elastomer Blends: Included Particles in a Matrix Phase, 1877A
**McDonald, L. A.** See Harris, R. F., 1491A
**McGrath, J. E.** See Kim, H.-C., 1515B; Senger, J. S., 373B
**Mead, R. N.**
—; Poehlein, G. W.: Free-Radical Transport from Latex Particles, 105B
**Mehta, R.** See Gaylord, N. G., 359B
**Meiyan, W.** See Zhonge, X., 3195A
**Melissaris, A. P.** See Mikroyannidis, J. A., 2587A
**Memetea, T.** See Hagiopol, C., 947A
**Menardi, P. J.** See Yang, Y. S., 2313A
**Menif, R.**
—; Jasse, B.; Laupretre, F.; Bloch, B.: Fourier Transform Infrared and High-Resolution Solid-State Carbon-13 NMR Spectroscopic Characterization of Cured Polystyrylpyridine Resins, 1065B
**Mensitieri, G.**
—; Apicella, A.; Kenny, J. M.; Nicolais, L.: Water Sorption Kinetics in Poly(aryl Ether Ether Ketone), 381A
**Merlotti, M.** See Cigna, G., 1527A
**Mertes, J.** See Stutz, H., 781B
**Meseguer Dueñas, J. M.** See Gómez Ribelles, J. L., 1145B
—; Gomez Ribelles, J. L.; Diaz Calleja, R.: Dielectric Relaxation Study of Low-Density Polyethylene by Thermally Stimulated Depolarization Currents and Thermal Sampling, 1645A
**Messiha, N. N.** See Shaaban, A. F., 1357B
**Miao, J.-K.** See Li, Z.-C., 2171B
**Micko, M. M.** See Šimkovic, I., 1913B
**Mijangos, C.**
—; Gómez-Elvira, J. M.; Martínez, G.; Millan, J.: A Comprehensive Approach to the Stereochemical and Physical Factors in Nucleophilic Substitution on PVC in the Melt, 1685B
**Mijović, J.**
—; Lee, C. H.: A Comparison of Chemorheological Models for Thermoset Cure, 2155B
—; Lee, C. H.: Modeling of Chemorheology of Thermoset Cure by Modified WLF Equation, 889A
—; Wang, H. T.: Cure Kinetics of Neat and Graphite-Fiber-Reinforced Epoxy Formulations, 2661A
**Mikroyannidis, J. A.**
—; Melissaris, A. P.: Heat-Resistant Adhesive Resins Derived from Bismaleimides and Bisnadimides Containing Amide Linkages, 2587A
**Millan, J.** See Mijangos, C., 1685B
**Miltz, J.**
—; Ramon, O.; Mizrahi, S.: Mechanical Behavior of Closed Cell Plastic Foams Used as Cushioning Materials, 281B
**Min, K. E.**
—; Paul, D. R.: Polycarbonate–Styrene/Methyl Methacrylate Copolymer Blends, 1153A
**Min, K. J.** See Chung, C. I., 1339A
**Mirabella, F. M., Jr.**
—; Shankernarayanan, M. J.; Fernando, P. L.: A Comparison of the Determination of Macromolecular Orientation in Polypropylene by Attenuated Total-Reflection Fourier-Transform Infrared Spectroscopy and X-Ray Diffraction, 851A
**Miraglia, S. J.**
—; Mayhan, K. G.: Reactivity Ratios for the System DEAEMA/MMA, 2303B
**Misaki, T.**
—; Hirohata, T.; Yoshii, M.; Hamasaki, T.: Properties of Networks Obtained by Internal Plasticization of Epoxy Resin with Aromatic and Aliphatic Glycidyl Compounds, 2617A
**Mishra, A. K.**
—; Schultz, J. M.: Effect of Flow Rate and Temperature on Crystallization Kinetics, Crystallinity Index, and Elastic Modulus of PEEK, 655B
**Misra, A.** See Saroop, U. K., 1401B, 1421B
**Misra, M.** See Mohanty, A. K., 1171A
**Mitsoulis, E.**
Influence of Inertia and Viscoelasticity in Entry Flows Through an Abrupt Annular Contraction, 627A
**Mittal, J.** See Bansal, R. K., 1901A
**Miyauchi, N.**
—; Kusahara, M.; Motomura, T.; Akashi, M.: Acrylic Nonaqueous Dispersion Using Butylated Melamine-Formaldehyde Resin as Dispersant, 915A
**Miyauchi, S.**
—; Abiko, H.; Sorimachi, Y.; Tsubata, I.: Preparation of Barium Titanate–Polypyrrole Compositions and Their Electrical Properties, 289A
**Miyazaki, H.** See Inagaki, N., 1829B
**Mizoguchi, K.** See Hirose, T., 1513A, 809B
**Mizrahi, S.** See Miltz, J., 281B
**Mizumachi, H.**
—; Hatano, Y.: Theory of Tack of Pressure-Sensitive Adhesive. II, 3097A
**Mizutani, Y.** See Ohmura, N., 1025B
**Mochizuki, A.**
—; Amiya, S.; Sato, Y.; Ogawara, H.; Yamashita, S.: Pervaporation Separation of Water/Ethanol Mixtures through Polysaccharide Membranes. III. The Permselectivity of the Neutralized Chitosan Membrane and the Relationships between Its Permselectivity and Solid State Structure, 3385A
—; Sato, Y.; Ogawara, H.; Yamashita, S.: Pervaporation Separation of Water/Ethanol Mixtures through Polysaccharide Membranes. I. The Effects of Salts on the Permselectivity of Cellulose Membrane in Pervaporation, 3357A
—; Sato, Y.; Ogawara, H.; Yamashita, S.: Pervaporation Separation of Water/Ethanol Mixtures through Polysaccharide Membranes. II. The Permselectivity of Chitosan Membrane, 3375A
**Mohanty, A. K.** See Patnaik, S., 2099A
—; Patnaik, S.; Singh, B. C.; Misra, M.: Graft Copolymerization of Acrylonitrile onto

Acetylated Jute Fibers, 1171A
—; Singh, B. C.: Characterization of Methyl Methacrylate Grafted Jute Fibers, 1423A
**Moharram, M. A.** See Rabie, S. M., 2269B
**Moitra, S.** See Biswas, M., 1243B
—; Biswas, M.: Thermal Stability Characteristics of Some Resins from Chemically Modified PVC, 1855A
**Molnar, J. A., Jr.**
—; Lee, L. J., Jr.: Mixing Study of L Shape Mixheads in Reaction Injection Molding, 2295A
**Momoh, M.** See Eboatu, A. N., 2485A
**Momose, T.**
—; Tomiie, K.; Ishigaki, I.; Okamoto, J.: Radiation Grafting of $\alpha,\beta,\beta$,-Trifluorostyrene onto Various Polymer Films by Preirradiation Method, 2165A
—; Yoskioka, H.; Ishigaki, I.; Okamoto, J.: Radiation Grafting of $\alpha,\beta,\beta$-Trifluorostyrene onto Poly(Ethylene-Tetrafluoroethylene) Film by Preirradiation Method. I. Effects of Preirradiation Dose, Monomer, Concentration Reaction Temperature, and Film Thickness, 2817A
—; Yoshioka, H.; Ishigaki, I.; Okamoto, J.: Radiation Grafting of $\alpha,\beta,\beta$-Trifluorostyrene onto Poly(ethylene-tetrafluoroethylene) Film by Preirradiation Method. II. Properties of Cation-Exchange Membrane Obtained by Sulfonation and Hydrolysis of the Grafted Film, 2091B
**Monleón Pradas, M.** See Gómez Ribelles, J. L., 1145B
**Morbidelli, M.** See Storti, G., 2443A
**Morel, E.** See Bellenger, V., 2563A
**Mori, S.** See Nagase, Y., 1259A
Compositional Analysis and Infrared Spectra of Styrene–Methyl Methacrylate Random Copolymers, 547B
Separation of Poly(styrene–Methyl Methacrylate) Block Copolymers by Liquid Absorption Chromatography, 95B
**Morita, H.**
—; Uchino, N.; Nakamura, Y.; Yamaoka, T.: Magnetic Field Effect on Sensitized Photocrosslinking Reaction of Azidomethylated Polystyrene, 1997B
**Morooka, T.**
—; Norimoto, M.; Yamada, T.: Periodate Oxidation of Cellulose by Homogeneous Reaction, 849B
**Morozova, T. K.** See Gaponik, L. V., 1975B
**Morris, C. E. M.** See Ennis, B. C., 15A; Grabovac, I., 1137A
**Motomura, T.** See Miyauchi, N., 915A
**Moustafa, H. Y.** See Shaaban, A. F., 1357B
**Moutier, C.** See Maschio, G., 825A
**Muchová, M.**
—; Pelzbauer, Z.: The Lithographic Effect of Electron Beam on Poly(methyl Methacrylate) in a Scanning Electron Microscope: Minimization of Line Width by the Dose and Beam Current, 817A
**Müller, A. H. E.** See Glöckner, G., 1761B
**Murata, T.** See Inagaki, N., 1869B
**Murphy, C. J.** See Murphy, E. A., 267A
**Murphy, E. A.**
—; Ntozakhe, T.; Murphy, C. J.; Fay, J. J.; Sperling, L. H.; Manser, G. E.: Characterization of Poly(3,3-Bisethoxymethyl Oxetane) and Poly(3,3-Bisazidomethyl Oxetane) and Their Block Copolymers, 267A
**Musto, P.** See Greco, R., 777A, 789A

**Nachane, R. P.**
—; Hussain, G. F. S.; Patel, G. S.; Krishna Iyer, K. R.: A Study of Inverse Relaxation in Some Textile Fibers, 21B
**Nadkarni, V. M.** See Ghadage, R. S., 1579A; Vaidya, U. R., 1179B
**Nagai, K.** See Kuramoto, N., 65B
—; Ohishi, Y.; Ishiyama, K.; Kuramoto, N.: Polymerization of Surface-Active Monomers. III. Polymer Encapsulation of Silica Gel Particles by Aqueous Polymerization of Quaternary Salt of Dimethylaminoethyl Methacrylate with Lauryl Bromide, 2183B
**Nagase, Y.**
—; Mori, S.; Matsui, K.: Chemical Modification of Poly(substituted-Acetylene). IV. Pervaporation of Organic Liquid/Water Mixture through Poly(1-Phenyl-1-Propyne)/Polydimethylsiloxane Graft Copolymer Membrane, 1259A
**Naik, G. A.** See Joshi, K. A., 661A
**Naito, S.** See Arai, K., 29B, 1159B
**Nakagawa, T.** See Higuchi, A., 2181A
**Nakajima, T.** See Hirai, Y., 2275A
**Nakamoto, Y.** See Sue, H., 1305B
**Nakamura, Y.** See Morita, H., 1997B
**Nakano, J.** See Kondo, T., 3003A
**Nakayama, M.** See Nonaka, T., 241A
**Nakazato, S.**
—; Amari, T.; Yamaoka, T.: Mechanical Properties of UV-Cured Urethane Films, 627B
**Nambu, H.** See Ishihara, Y., 1491B
**Nambu, M.** See Hirai, T., 491B
**Namio, H.** See Hashida, S., 2897A
**Nando, G. B.** See Kurian, J., 961A
**Nango, M.** See Maekawa, M., 2141A
**Nanjan, M. J.** See Rajendran, V., 3281A
**Narasimhan, V.**
—; Huang, R. Y. M.; Burns, C. M.: An Approximate Method for the Determination of Polymer–Polymer Interaction Parameters of Incompatible Polymers in Solution, 1909A
**Naresh, M. D.** See Somanathan, N., 1311A
**Nasir, Z. A.**
—; Ratnam, C. T.: Internal Mixer Studies of Poly(vinyl Chloride)/Epoxidized Natural Rubber Blends, 1219B
**Nasr, G. M.** See Amin, M., 1209A
—; Amin, M.; Osman, H. M.; Badawy, M. M.: Influence of Hydrostatic Pressure on the Electrical Properties of Unvulcanized FEF-Loaded SBR, 1327A
**Nelson, M.**
—; Lee, L. J.: Mixing Characteristics of Urethane Based Materials and Polyurea in RIM, 251A
**Neoh, K. G.**
—; Kang, E. T.; Tan, T. C.: Effects of Acceptor Level on Chemically Synthesized Polypyrrole-Halogen Complexes, 2169A
—; Kang, E. T.; Tan, T. C.; Tan, K. L.: Halogen-Induced Chemical Copolymerization of Pyrrole with *N*-Methylpyrrole, 2009B
**Nevrekar, N. B.** See Joshi, K. A., 661A
**Ng, S. C.**
—; Chee, K. K.: Differential Scanning Calorimetry Study on Intermolecular Interactions in Polymer-Diluent Blends Involving Polyisoprenes and Dimethyl Terephthalate, 3227A
**Nguyen, T. T.**
Thermal Degradation of a Poly(Vinyl Formal)-Containing Adhesive Film on a Polyethylene Rubber Surface. A Photoacoustic Fourier Transform Infrared Spectroscopic Investigation, 765B
**Ni, S.**
—; Yu, F.; Shen, L.; Qian, B.: Multiple Transistions in Atactic 1,2-Polybutadienes Observed from Dynamic Mechanical and Dielectric Relaxation Data, 729A
**Nicolais, L.** See Mensitieri, G., 381A
**Nigro, J.**
—; Ishida, H.: Cure Behavior of Very Thin Epoxy Resin Films on Steel, 2191B
**Nikolova, N.** See Kotzeva, L., 1439B
**Ninan, K. N.**
—; George, R.; Krishnan, K.; Rao, K. V. C.: Addition Polyimides. II. Synthesis and Characterization of Bisitaconimide Prepolymers, 127A
**Nishibori, W.** See Suto, S., 737A, 1147A
**Nishikubo, T.**
—; Saita, S.; Uchida, N.: Synthesis and Thermal Self-Crosslinking Reaction of Copolymers

from 2,3-Epoxypropyl Methacrylate and *p*-Substituted Phenyl Methacrylates, 2225B
**Nishio, E.** See Koga, J., 2131A
**Nisizawa, M.**
Radiation-Induced Sol-Gel Transition of Protein: Effects of Radiation on Flow and Melting Properties, 1731A
Radiation-Induced Sol-Gel Transition of Protein: Effects of Radiation on Optical Rotation, 2439A
Radiation-Induced Sol-Gel Transition of Protein: Effects of Radiation on Setting Property, 579B
**Nomura, M.**
—; Horie, I.; Kubo, M.; Fujita, K.: Kinetics and Mechanism of Emulsion Copolymerization. IV. Kinetic Modeling of Emulsion Copolymerization of Styrene and Methyl Methacrylate, 1029A
**Nomura, S.** See Fujiwara, H., 1403A
**Nonaka, T.**
—; Maeda, H.; Nakayama, M.; Egawa, H.: Effect of Ultraviolet Irradiation on the Selective Transport of Alkali Metal Ions through 2,3-Epithiopropyl Methacrylate–Methacrylic Acid Copolymer Membrane, 241A
**Norimoto, M.** See Morooka, T., 849B
**Novak, G. F.** See Martin, D. C., 3029A
**Ntozakhe, ı.** See Murphy, E. A., 267A

**Obande, O. P.**
—; Gilbert, M.: Crystallinity Changes during PVC Processing, 1713A
**Ochi, M.**
—; Yamashita, K.; Yoshizumi, M.; Shimbo, M.: Internal Stress in Epoxide Resin Networks Containing Biphenyl Structure, 789B
**O'Connor, D.** See Sinha, B. R., 163B
**Ogawa, T.**
—; Ishitobi, W.; Jinta, K.: Proton-NMR Studies of Polyacetal Copolymers, 87B
**Ogawara, H.** See Mochizuki, A., 3357A, 3375A, 3385A
**Ogiwara, Y.** See Kubota, H., 717B
**Ohashi, F.** See Razzak, M. T., 829B
**Ohishi, Y.** See Nagai, K., 2183B
**Ohmura, N.**
—; Kagiyama, Y.; Mizutani, Y.: Interaction of Cation-Exchange Membrane with Polycation. II. Poly(*N*-Alkyl-4-Vinylpyridinium Halides), 1025B
**Ohsawa, T.** See Yoshikawa, M., 299A
**Ohta, T.** See Takahashi, H., 1837A
**Okada, A.**
—; Kawasumi, M.; Tajima, I.; Kurauchi, T.; Kamigaito, O.: A Solid State NMR Study on Crystalline Forms of Nylon 6, 1363A
**Okamoto, J.** See Momose, T., 2165A, 2817A, 2091B; Omichi, H., 2429A
**Okieimen, F. E.**
—; Idehen, K. I.: Studies in the Graft Copolymerization of Vinyl Monomers on Cellulosic Materials, 1253A
**Okor, R. S.**
Modification of Solute Dissolution Rate by Coprecipitation with Certain Acrylate–Methacrylate Copolymers, 1233A
**Olayemi, J. Y.**
—; Yusuf, A. K.: Further Experimental Evidences of the Compatibility of Poly(Vinyl Acetate) with Poly(Ethyl Methacrylate) and Its Dependence on the Ratio of the Molecular Weight of the Two Homopolymers, 1779B
**Olojo, D. O.** See Eboatu, A. N., 2485A
**Omichi, H.**
—; Katakai, A.; Okamoto, J.: Synthesis of Functional Polymers by Radiation-Induced Grafting of Acrolein onto Polyethylene Film, 2429A
**Omote, T.**
—; Yamaoka, T.; Koseki, K.: Preparation and Properties of Soluble and Colorless Fluorine-Containing Photoreactive Polyimide Precursors, 389B
**O'Neill, M.** See Birkinshaw, C., 1967B
**Orikasa, Y.** See Endo, T., 1815A
**Osaki, S.**
Quick Determination of Dielectric Anisotropy of Paper Sheets by Means of Microwaves, 527A
**Osman, H. M.** See Nasr, G. M., 1327A
**Otaigbe, J. U.**
—; Harland, W. G.: Impact Fracture Behavior of Continuous Glass Fiber-Reinforced Nylon 6, 77A
**Otsuhata, K.** See Razzak, M. T., 829B
**Overend, R. P.** See Carrasco, F., 2087A

**Paci, M.** See La Mantia, F. P., 583B
**Paglia, E. D.** See Beltrame, P. L., 755B
**Palan, B. H.** See Datye, K. V., 1447B
**Paleos, C. M.** See Tsiourvas, D., 257B
**Pallanová, M.** See Klimová, M., 3449A
**Pandey, G. C.** See Kulshreshtha, A. K., 669
**Pan, R.** See Grebowicz, J., 707B
**Pan, T.-C.** See Kuo, J.-F., 529B
**Pang, K. P.**
—; Gillham, J. K.: Annealing Studies on a Fully Cured Epoxy Resin: Effect of Thermal Prehistory, and Time and Temperature of Physical Annealing, 2115B
—; Gillham, J. K.: Anomalous Behavior of Cured Epoxy Resins: Density at Room Temperature versus Time and Temperature of Cure, 1969A
**Papanu, J. S.**
—; Soane (Soong), D. S.; Bell, A. T.; Hess, D. W.: Transport Models for Swelling and Dissolution of Thin Polymer Films, 859B
**Papaspyrides, C. D.**
Plasticized Poly(Vinyl Chloride)/Dioctyl Phthalate/Petroleum Oils: Plasticizer Migration vs. Liquid Penetration, 1859B
—; Duvis, T.: Plasticizer Transfer from Plasticized Poly(vinyl Chloride) Sheets to Petroleum Oils, 1573B
**Papathomas, K. I.**
—; Israel, S. C.; Salamone, J. C.: Activation Parameters and the Catalytic Effects of Poly(3-Alkyl-1-Vinylimidazolium) Salts on the Hydrolysis of Neutral Phenyl Esters, 1077B
**Parish, R. V.** See Ejike, E. N., 271B
**Park, H.-S.** See Kyu, T., 201A
**Park, J. M.** See Goldblatt, R. D., 335A
**Park, J. S.**
—; Ruckenstein, E.: Selective Permeation through Hydrophobic–Hydrophilic Membranes, 453B
**Parnas, R.** See Chaimberg, M., 2921A
**Pascault, J.-P.** See Bouillon, N., 2103B
**Pastor, J. M.** See González, A., 1879B
—; González, A.; De Saja, J. A.: Characterization of the Isothermal Crystallization of Poly(ethylene Terephthalate) by Microhardness Measurements, 2283B
**Pastor, M. A.** See Rego, J. M., 237B
**Patel, C. A.** See Griskey, R. G., 351B
**Patel, G. S.** See Bhama Iyer, P., 1739A; Nachane, R. P., 21B; Sreenivasan, S., 2191A
**Patel, P.**
—; Suthar, B.: Interpenetrating Polymer Network from Castor Oil-Based Polyurethanes and Poly(methyl Acrylate). XIV, 841A
**Patel, R.** See Thakkar, J., 1439A
**Patel, R.** See Thakkar, J., 1439A
**Patel, S. R.** See Arora, P. B., 925A
**Patel, V.** See Thakkar, J., 1439A
**Patel, V. S.** See Arora, P. B., 925A
**Patil, N. B.** See Bhama Iyer, P., 1739A
**Patnaik, S.** See Mohanty, A. K., 1171A
—; Sarangi, S.; Mohanty, A. K.; Singh, B. C.: Graft Copolymerization of Acrylonitrile onto Jute Fibers (Studies on Ce(IV)-Hippuric Acid Redox System), 2099A
**Patsiga, R. A.** See Senger, J. S., 373B
**Paul, D. R.** See Fowler, M. E., 225A, 513A; Min, K. E., 1153A; Schwarz, M. C., 403A
**Pearce, E. M.** See Chen, C. S., 1105A; Zhu, K. J., 573A
**Pearce, P. J.** See Ennis, B. C., 15A; Grabovac, I., 1137A
**Pedemonte, E.** See Gattiglia, E., 1807B

**Peev, G.**
—; Trifonova, M.; Peeva, L.: Kinetics of Vinylchloride Removal from Polyvinylchloride by Thermal Treatment in a Flow of Inert Gas, 999A
**Peeva, L.** See Peev, G., 999A
**Pei, Q.**
—; Bi, X.: Electrochemical Preparation of Electrically Conducting Polyurethane/Polyaniline Composite, 1819B
**Peirong, Y.** See Jiadong, H., 1211B
**Pekcan, O.** See Kaptan, Y., 2577A
**Pelzbauer, Z.** See Muchová, M., 817A; Sova, M., 511B
**Pennings, A. J.** See Postema, A. R., 2351A
**Perich, I. M.** See Rivas, B. L., 801B
**Petrariu, I.** See Chitanu, G., 2417A
**Petrović, Z. S.**
—; Koco, F.; Horvath, L.; Dulić, N.: Dielectric Properties of Segmented Polytetramethyleneoxide-Based Polyurethanes, 1929B
**Petsalas, H. J.** See Andreopoulos, A. G., 2073B
—; Andreopoulos, A. G.: Treated Aramid Fibers as Reinforcement in Nonpolar Matrices, 593B
**Phillipson, J.** See Louden, J. D., 3237A
**Piirma, I.** See Dittman-McBain, C. B., 1415A; Weinert, R. J., 1295B, 1667B
**Pillai, M. K.** See Srinivasan, K. S. V., 1551A
**Ping, Y.** See Zhonge, X., 3195A
**Pirc, M.** See Priddy, D. B., 393A, 1079A
**Plage, B.**
—; Schulten, H.-R.: Pyrolysis-Field Ionization Mass Spectrometry of Polyamide Copolymers and Blends, 123B
**Plummer, H. K., Jr.** See Mazich, K. A., 1877A
**Poehlein, G. W.** See Mead, R. N., 105B
**Ponrathnam, S.** See Ghadage, R. S., 1579A
**Popli, R.**
—; Dwivedi, A. M.: Attenuated Total Reflectance (ATR) Study of Polymer Blend Films, 2469A
**Postema, A. R.**
—; Pennings, A. J.: Study on the Drawing Behavior of Poly(L-Lactide) to Obtain High-Strength Fibers, 2351A
**Pratap, G.** See Shantha, K. L., 9B
**Prausnitz, J. M.** See Sako, T., 1839B
**Price, D.** See Horrocks, A. R., 1051A
**Priddy, D. B.**
—; Pirc, M.: Anionic Polymerization of Styrene: Integration with Styrene Monomer Production, 1079A
—; Pirc, M.: Anionic Polymerization of Styrene: The Search for an Industrial Process, 393A
**Prime, R. B.** See Gan, S., 803A
**Pružinec, J.** See Ebringerová, A., 1919B
**Pulat, E.** See Saçak, M., 539B
**Pupo, J. F.** See Sapieha, S., 233A

**Qian, B.** See Ni, S., 729A
**Qian, J. W.**
—; Rudin, A.: Prediction of the Concentration Dependence of Diffusion Coefficients of Polymers in Solution, 2007A

**Rabie, S. M.**
—; Abdel-Hakeem, N.; Moharram, M. A.: Effect of γ-Irradiation and Temperature on the Structure of Metal Chloride-Treated Poly(vinyl Alcohol), 2269B
**Radhakrishnan, N.** See Srinivasan, K. S. V., 1551A
**Raj, R. G.**
—; Kokta, B. V.; Dembele, F.; Sanschagrain, B.: Compounding of Cellulose Fibers with Polypropylene: Effect of Fiber Treatment on Dispersion in the Polymer Matrix, 1987B
—; Kokta, B. V.; Maldas, D.; Daneault, C.: Use of Wood Fibers in Thermoplastics. VII. The Effect of Coupling Agents in Polyethylene-Wood Fiber Composites, 1089A
**Rajalingam, P.** See Arumugam, N., 2645A; Kishore, K., 2845A
**Rajasekharan Pillai, V. N.** See Sreekumar, K., 2109A
**Rajendran, V.**
—; Nanjan, M. J.: Thermal Behavior and Fiber Studies of Certain Azoaromatic Polyamides, 3281A
**Ramon, O.** See Miltz, J., 281B
**Rao, K. V. C.** See Ninan, K. N., 127A
**Rashid, M. A. M.** See Ahmed, I. K., 1559A
**Ratnam, C. T.** See Nasir, Z. A., 1219B
**Rätzsch, M.** See Borsig, E., 467A
**Ray, P. K.** See Kundu, S. K., 1951B
**Razzak, M. T.**
—; Otsuhata, K.; Tabata, Y.; Ohashi, F.; Takeuchi, A.: Modification of Natural Rubber Tubes for Biomaterials. II. Radiation-Induced Grafting of *N,N*-Dimethylaminoethylacrylate (DMAEA) onto Natural Rubber (NR) Tubes, 829B
**Rego, J. M.**
—; Pastor, M. A.; Campo, J. J.; Katime, I.: Influence of the Catalyst on the Kinetics of a RIM Formulation, 237B
**Rementer, S. W.** See Kirkland, J. J., 1383B
**Reveret, D.** See Saint-Royre, D., 147B
**Rex Gonzalez, F.** See Marx-Figini, M., 219B
**Rhim, J.-W.** See Huang, R. Y. M., 55A
**Rials, T. G.** See Kelley, S. S., 2961A
—; Glasser, W. G.: Multiphase Materials with Lignin. IV. Blends of Hydroxypropyl Cellulose with Lignin, 2399A
**Ribes-Greus, A.**
—; Diaz Calleja, R.: Dielectric Relaxations of High and Low Density Irradiated Polyethylenes, 1127B
—; Diaz Calleja, R.: Dynamic-Mechanical Relaxations in High and Low Density Polyethylenes. Effects of Irradiation and Annealing, 2549A
**Richards, J. R.**
—; Congalidis, J. P.; Gilbert, R. G.: Mathematical Modeling of Emulsion Copolymerization Reactors, 2727A
**Rinaudo, M.** See Domard, A., 1799B
**Riva, F.** See Greco, R., 789A
**Rivas, B. L.**
—; Maturana, H. A.; Catalán, R. E.; Perich, I. M.: Branched and Linear Polyethyleneimine Supports for Resins with Retention Properties for Copper and Uranium. VII., 801B
**Romano, G.** See de Candia, F., 249B
**Rongnan, X.** See Jun, Y., 45B
**Rowell, R. M.** See Barkalow, D. G., 1009A
**Rowland, S. P.**
—; Howley, P. S.: Simplified Hydrolysis of Cellulose and Substituted Cellulose: Observations on Trifluoroacetic Acid Hydrolyses, 2371A
**Ruckenstein, E.** See Kim, K.-J., 441B; Park, J. S., 453B
**Rudin, A.** See Qian, J. W., 2007A
**Ruofeng, W.** See Jiadong, H., 1211B
**Rybníkář, F.**
Orientation in Composite of Polypropylene and Talc, 1479B
**Rychlá, L.** See Borsig, E., 467A
**Rye, R. R.**
—; Martinez, R. J.: Photolithography of Polytetrafluoroethylene for Adhesion, 2529A
**Rys, P.** See Shibusawa, T., 3399A

**Saçak, M.**
—; Pulat, E.: Benzoyl-Peroxide-Initiated Graft Copolymerization of Poly(Ethylene Terephthalate) Fibers with Acrylamide, 539B
**Sada, E.**
—; Kumazawa, H.; Xu, P.; Kiyohara, T.: Mechanism of Gas Transport in Plasma Treated Glassy Polymer Films, 687B
**Saenger, K. L.** See Tong, H. M., 937B

**Sahni, S. K.**
—; Smid, J.; Cabasso, I.: Radiopaque Miscible Systems Composed of Poly(methyl Methacrylate) and Transition and Nontransition Metal Salts: Spectroscopic, Thermal, and Radiographic Characterization, 1653B
**Said, M. A.** See Balik, C. M., 557B
**Saint-Royre, D.**
—; Gueugnaut, D.; Reveret, D.: Test Methodology for the Determination of Optimum Fusion Welding Conditions of Polyethylene, 147B
**Saita, S.** See Nishikubo, T., 2225B
**Sakamoto, M.** See Arai, K., 29B
**Sakata, J.**
—; Yamamoto, M.; Hirai, M.: Plasma-Polymerized Membranes and Gas Permeability. IV, 2773A
**Sako, T.**
—; Wu, A. H.; Prausnitz, J. M.: A Cubic Equation of State for High-Pressure Phase Equilibria of Mixtures Containing Polymers and Volatile Fluids, 1839B
**Sakoh, K.** See Kuramoto, N., 65B
**Sakurai, K.**
—; Takahashi, T.: Strain-Induced Crystallization in Polynorbornene, 1191B
**Salamone, J. C.** See Papathomas, K. I., 1077B
**Saleem, M.** See Asfour, A.-F. A., 1503B
—; Asfour, A.-F. A.; De Kee, D.; Harrison, B.: Diffusion of Organic Penetrants through Low Density Polyethylene (LDPE) Films: Effect of Size and Shape of Penetrant Models, 617A
**Samal, Rabi N.** See Samal, Rajani K., 3085A
**Samal, Rajani K.**
—; Samantaray, Himansu S.; Samal, Rabi N.: Graft Copolymerization with a New Class of Acidic Peroxo Salts as Initiator. V. Grafting of Methyl Methacrylate onto Jute Fiber Using Potassium Monopersulfate Catalyzed by Fe(II), 3085A
**Samantaray, Himansu S.** See Samal, Rajani K., 3085A
**Samus, M. A.** See Mazich, K. A., 1877A
**Sandén, R.** See Lundgren, R., 1221A
—; Wingborg, N.: Bonding a HTPB Liner to Modern Rocket Case Materials, 167A
**Sanjeevi, R.** See Somanathan, N., 1311A
**Sanschagrain, B.** See Raj, R. G., 1987B
**Sanyal, S. K.** See Varughese, K. T., 2537A
**Sapieha, S.** See Cousin, P., 3057A
—; Pupo, J. F.; Schreiber, H. P.: Thermal Degradation of Cellulose-Containing Composites during Processing, 233A
**Sarangi, S.** See Patnaik, S., 2099A
**Saroop, U. K.**
—; Sharma, K. K.; Jain, K. K.; Misra, A.; Maiti, S. N.: Studies on the Polyblends of Poly(vinyl Chloride) with Various Methacrylate Copolymers, Melt Rheological Properties. II., 1421B
—; Sharma, K. K.; Jain, K. K.; Misra, A.; Maiti, S. N.: Studies on the Polyblends of Poly(vinyl Chloride) with Various Methacrylate Copolymers, Physical and Mechanical Properties. I., 1401B
**Sasaki, M.** See Maekawa, M., 2141A
**Sasaki, N.** See Arai, K., 1159B
**Sato, Y.** See Mochizuki, A., 3357A, 3375A, 3385A
**Savaşçi, Ö. T.** See Yaykin, Ö., 2383A
**Saxena, S.** See Varma, I. K., 1299A
**Sayyah, S. M.**
—; El-Hamouly, S. H. H.; Abd El-Ghaffar, M. A.: Characterization of Some Poly(methyl Methacrylate)s Prepared by Emulsifier-Free Emulsion Polymerization in Presence of Some Organic Ligands and Their Nickel Complexes, 65A
**Scarinzi, G.** See Greco, R., 777A
**Schellenberg, J.**
—; Hamann, B.: Preparation and Properties of Graft Copolymers of Vinyl Chloride on Atactic Polypropylene, 1941B
**Schimpf, M. E.**
—; Williams, P. S.; Giddings, J. C.: Accurate Molecular Weight Distribution of Polymers Using Thermal Field-Flow Fractionation with Deconvolution to Remove System Dispersion, 2059A
**Schirrer, R.** See Mauzac, O., 2289B
**Schmidt, M. J.** See Cebollada, A. F., 145A
**Schreiber, H. P.** See Cousin, P., 3057A; Sapieha, S., 233A
**Schulten, H.-R.** See Plage, B., 123B
**Schultz, J. M.** See Mishra, A. K., 655B
**Schwarz, M. C.**
—; Barlow, J. W.; Paul, D. R.: Morphology of HDPE/(PEC/PS) Blends Modified with SEBS Copolymers, 403A
**Schwarz, T.**
—; Steiner, G.; Koppelmann, J.: Measurement of Diffusion of Antioxidants in Isotactic Polypropylene by Isothermal Differential Thermal Analysis, 3335A, 1B
**Scott, R. W.**
Influence of Cations and Borate on the Alkaline Extraction of Xylan and Glucomannan from Pine Pulps, 907B
**Searle, N. D.** See Andrady, A. L., 2789A
**Segui, Y.** See Tchangai, T., 305B
**Selivansky, D.** See Gupta, B. S., 899B
**Sen, S. K.** See Kundu, S. K., 1951B
**Senger, J. S.**
—; Yilgor, I.; McGrath, J. E.; Patsiga, R. A.: Isocyanate–Epoxy Reactions in Bulk and Solution, 373B
**Senuma, M.**
—; Tashiro, T.; Iwakura, M.; Kaeriyama, K.; Shimura, T.: Synthesis and Antibacterial Activity of Copolymers Having a Quaternary Ammonium Salt Side Group, 2837A
**Seo, T.**
—; Gan, Y. A.; Kanbara, T.; Iijima, T.: The Selective Sorption of D,L-Amino Acids by Chemically Modified Chitosan Gels and Its Application to Liquid Chromatography, 997B
—; Hagura, S.; Kanbara, T.; Iijima, T.: Interaction of Dyes with Chitosan Derivatives, 3011A
**Seo, Y.**
—; Wissler, E. H.: Die Geometrical Effect on Annular Die Swelling, 1159A
**Ševčík, S.**
—; Kolínský, M.: Determination of the Density Dispersion of Suspension Poly(vinyl Chloride) by the Method of Kinetic Density Curves, 2033A
**Seves, A.** See Beltrame, P. L., 755B
**Shaaban, A. F.**
—; Khalil, A. A.: Estimation of Reactivity Ratios of *N*-Methacryloyloxyphthalimide Copolymers by $^1$H NMR, 2051A
—; Moustafa, H. Y.; Messiha, N. N.: Kinetics of Polyesterification of 1,3-(Dicarboxymethoxy)benzene with Tetraethylene Glycol, 1357B
**Shankernarayanan, M. J.** See Mirabella, F. M., 851A
**Shantha, K. L.**
—; Krishnamurti, N.: Synthesis, Characterization, and Utilization of Methacrylic Esters of Polyhydric Alcohols, 2987A
—; Pratap, G.; Bhaskar Rao, V. S.: Synthesis of 6- and 7-Oxo Poly(vinyl Ester)s and Their Evaluation, 9B
**Sharma, A. K.**
—; Yasuda, H.: Polymerization of Methane, 741B
**Sharma, K. K.** See Saroop, U. K., 1401B, 1421B
**Sharma, R. C.** See Gupta, D. C., 265B
**Sharma, Y. N.** See Kulshreshtha, A. K., 669A
**Shaw, S.**
—; Singh, R. P.: Mechanical Behavior of Polyblended Polystyrene and Ethylene–Propylene–iene Rubber by Cationic Reactions in the Melt, 1677B
**Sheen, B.-S.** See Yang, C.-P., 3185A
**Shen, L.** See Ni, S., 729A
**Shibayama, M.** See Fujiwara, H., 1403A
**Shibusawa, T.**
—; Weber, R.; Rys, P.: Simultaneous Sorption and Diffusion of a 4-Aminoazobenzene Derivative and Its Conjugate Acid in Cellulose Membrane Carrying Sulfonic Acid Groups, 3399A

**Shieh, J. J.** See Lai, J. Y., 2907A
**Shimbo, M.** See Ochi, M., 789B
**Shimizu, J.** See Jinan, C., 2683A
**Shimura, T.** See Senuma, M., 2837A
**Shinouda, H. G.** See Abdel Moteleb, M. M., 2079B
**Shiozaki, H.** See Tsukada, M., 2637A
**Shiraishi, N.** See Takase, S., 645A
**Shortridge, T. J.** See Havriliak, S., 2827A
**Shukla, J. S.**
—; Tiwari, S. C.: Graft Copolymerization of Poly(butyl Methacrylate) onto Wool in the Presence of Air and Nitrogen Atmosphere. II, 291B
**Shyu, S. S.** See Lai, J. Y., 2907A
**Siegmann, A.**
—; Cohen, G.; Baraam, Z.: The Crystallization and Transition Behavior of Poly(vinylidene Fluoride)/Copoly(chlorotrifluorethylene-vinylidene Fluoride) Blends, 1481A
—; Cohen, G.; Baraam, Z.: The Crystallization of a Copoly(chlorotrifluorethylene-vinylidene Fluoride) from the Amorphous Rubbery State, 1567A
**Simha, R.** See Hartmann, B., 2603A
**Šimkovic, I.**
—; Antal, M.; Csomorová, K.; Micko, M. M.: New Aspects in Cationization of Lignocellulose Materials. X. Thermooxidation of TMAHP–Sawdust, 1913B
**Singh, B. C.** See Mohanty, A. K., 1171A, 1423A; Patnaik, S., 2099A
**Singh, P.** See Bansal, R. K., 1901A
**Singh, R. P.** See Shaw, S., 1677B; Singh, Y. P., 2491A; Ungeheuer, S., 2933A
**Singh, Y. P.**
—; Singh, R. P.: Investigation on Multiphase Polymeric Systems of Poly(vinyl Chloride). I. PVC–Chlororubber-20-*gp*-Styrene–Acrylonitrile (2 : 1) Blends, 2491A
**Sinha, B. R.**
—; Blum, F. D.; O'Connor, D.: Characterization of Substituted Phenol–Formaldehyde Resins Using Solid-State Carbon-13 NMR, 163B
**Sirdesai, S. J.**
—; Wilkie, C. A.: Mechanism of Poly(methyl Methacrylate) Fire Retardation by Wilkinson's Salt, 1595A
—; Wilkie, C. A.: Wilkinson's Salt: A Flame Retardant for Poly(methyl Methacrylate), 863A
**Sitaramam, B. S.**
—; Chatterjee, P. C.: Synthesis, Polymerization, and End-Use Evaluation of 3-Pentadecylphenyl Acrylate and Methacrylate, 33A
**Smid, J.** See Sahni, S. K., 1653B
**Smith, S. D.** See Kim, H.-C., 1515B
**Soane, D. S.** See Bontoux, L. G., 915B
**Soane (Soong), D. S.** See Papanu, J. S., 859B
**Sobczak, R.** See Hermann, W., 2675A
—; Hermann, W.: A New Method to Measure Temperatures in Polymer Melts Using Heusler Alloys, 1739B
**Sohn, J. E.**
—; Emerson, J. A.; Thompson, P. A.; Koberstein, J. T.: Rubber-Modified Epoxies: Interfacial Tension and Morphology, 2627A
**Sójka-Ledakowicz, J.**
—; Ledakowicz, S.: A Kinetic Study of Benzoyl Peroxide Decomposition in Graft Copolymerization Bath, 3177A
**Somanathan, N.**
—; Arumugam, V.; Naresh, M. D.; Sanjeevi, R.: Effect of Extension Rate on the Stress–Strain Characteristics of Grafted Casein Film, 1311A
**Song, J. H.** See Kim, H.-C., 1515B
**Sorimachi, Y.** See Miyauchi, S., 289A
**Sörvik, E. M.** See Hjertberg, T., 1183A, 1239A
**Sova, M.**
—; Pelzbauer, Z.: The Morphology of Fracture Surfaces and Mechanical Properties of Composites of Polypropylene with Glass Fibers Having Different Interface Adhesion, 511B
**Spencer, H. G.** See Haldankar, G. S., 3137A
**Sperling, L. H.** See Murphy, E. A., 267A
**Spoelstra, A. B.** See Gaymans, R. J., 479A
**Spontak, R. J.**
—; Williams, M. C.: Microstructural and Bulk Characterization of Two Poly(siloxane-imide) Multiblock Copolymers, 1607B
**Sreekumar, K.**
—; Rajasekharan Pillai, V. N.: Design and Applications of a Solid-Phase Oxidizing Reagent Consisting of a Crosslinked Polystyrene Matrix and a *t*-Butyl Hypochlorite Function Separated by a Trimethylene Spacer, 2109A
**Sreenivasan, S.** See Bhama Iyer, P., 1739A
—; Iyer, P. B.; Patel, G. S.; Chidambareswaran, P. K.: Studies on Swelling of Cotton Fibers in Alkali Metal Hydroxides. I. Influence of Variations in Fine Structure on Tensile Behavior, 2191A
**Srinivasan, K. S. V.**
—; Radhakrishnan, N.; Pillai, M. K.: Free Radical Copolymerization of Poly(*n*-butyl Methacrylate) onto Polychloroprene, 1551A
**Stahel, E. P.** See Vitta, S. B., 503B
**Stannett, V. T.** See Vitta, S. B., 503B
**Stark, J. E.** See Feng, D., 1549B; Leir, C. M., 1535B
**Starkweather, H. W., Jr.**
Matrix Relaxations in Rubber-Toughened Thermoplastics, 1395A
**Steiner, G.** See Schwarz, T., 3335A, 1B
**Steinmann, B.**
Investigations on the Curing of Epoxy Resins with Hexahydrophthalic Anhydride, 1753A
**Stenius, P.** See Jönsson, S., 2037B
**Stern, S. A.**
—; Bhide, B. D.: Permeability of Silicone Polymers to Ammonia and Hydrogen Sulfide, 2131B
**Stewart, M. E.**
—; Hopfenberg, H. B.; Koros, W. J.: Characterization of Physical Aging of Poly(methyl methacrylate) Powders by a Novel High Pressure Sorption Technique, 1111B
**Stickler, M.** See Glöckner, G., 3147A
**Storti, G.**
—; Carrà, S.; Morbidelli, M.; Vita, G.: Kinetics of Multimonomer Emulsion Polymerization. The Pseudo-Homopolymerization Approach, 2443A
**Struß, K.** See Ihm, S.-K., 109A
**Stutz, H.**
—; Mertes, J.: Torsional Braid Analysis and Gelation in Thermoset Resins, 781B
**Subbarao, R.** See Kale, V., 1287B
**Subramaniam, V.**
—; Vasugi, N.: Decrystallization and Acetylation and Benzoylation of Cotton Fibers, 207B
**Sue, H.**
—; Ueno, E.; Nakamoto, Y.; Ishida, S.-I.: Determination of Mark-Houwink-Sakurada Equation for Phenolic Resins and Estimation of their Molecular Conformation in Acetone Solution, 1305B
**Suga, K.** See Endo, T., 1815A
**Sultan, B.-Å.** See Hjertberg, T., 1183A
**Sundaresan, E.** See Bhat, N. V., 1173B
**Suthar, B.** See Patel, P., 841A
**Suto, S.**
Crosslinked Hydroxypropyl Cellulose Solid Films Cast from Liquid Crystalline Solutions, 2781A
—; Gotoh, H.; Nishibori, W.; Karasawa, M.: Rheology of Liquid Crystalline Solutions of Hydroxypropyl Cellulose in *m*-Cresol, 1147A
—; Nishibori, W.; Kudo, K.; Karasawa, M.: Lyotropic Liquid Crystalline Solutions of Hydroxypropyl Cellulose in Water: Effect of Salts on the Turbidity and Viscometric Behavior, 737A
**Suzawa, T.** See Tamai, H., 403B
**Suzuki, T.** See Hirai, T., 491B
**Szanto, M.** See Yossifon, S., 1347B
**Szöcs, F.** See Klimová, M., 3449A

**Tabata, Y.** See Razzak, M. T., 829B
**Taher, N. H.** See Hegazy, E.-S. A., 1229B
**Tajima, I.** See Okada, A., 1363A
**Takahashi, H.**
—; Matsuoka, T.; Ohta, T.; Fukumori, K.; Kurauchi, T.; Kamigaito, O.: Rheological Behavior of SAN/PC Blends under Extremely High Shear Rate, 1837A
**Takahashi, T.** See Arai, K., 29B, 1159B, 1191B
**Takaku, A.** See Jinan, C., 2683A
**Takase, S.**
—; Shiraishi, N.: Studies on Composites from Wood and Polypropylenes. II, 645A
**Takesue, T.** See Ishihara, Y., 1491B
**Takeuchi, A.** See Razzak, M. T., 829B
**Tamai, H.**
—; Hasegawa, M.; Suzawa, T.: Surface Characterization of Hydrophilic Functional Polymer Latex Particles, 403B
**Tamare Selvy, K.** See Arumugam, N., 2645A
**Tan, K. L.** See Neoh, K. G., 2009B
**Tan, T. C.** See Neoh, K. G., 2169A, 2009B
**Tanaka, A.** See Ban, H., 1589A
**Tang, Y.** See Tzoganakis, C., 681A
**Tanie, S.** See Iida, T., 1685A
**Tanigaki, M.** See Yoshikawa, M., 299A
**Tanigami, T.** See Yamaura, K., 2709A, 3251A
**Tant, M. R.**
—; Wilkes, G. L.; Kennedy, J. P.: Sulfonated Polyisobutylene Telechelic Ionmers. XIII. Viscosity Behavior in Nonpolar Solvents and Nonpolar-Polar Solvent Mixtures, 2873A
**Taranco, J.** See Laguna, O., 667B
**Tasaka, S.** See Inagaki, N., 2341A, 1829B, 1869B
**Tashiro, T.** See Senuma, M., 2837A
**Taylor, T. J.** See Khanna, Y. P., 135B
**Tazi, M.** See Gaylord, N. G., 359B
**Tazuke, S.** See Ikeda, T., 2949A
**Tchangai, T.**
—; Segui, Y.; Doukkali, K.: Water Sorption in Polyamide-Imide Films and its Effect on Dielectric Loss, 305B
**Teh Hu, A.**
—; Tsai, R.-S.; Lee, Y.-D.: Preparation of Block Copolyetheramides and their Properties as Hot Melt Adhesives, 1863A
**Terada, K.** See Hirose, T., 1513A
**Terrassin, C.** See Domard, A., 1799B
**Thakkar, J.**
—; Patel, R.; Patel, R.; Patel, V.: Effect of Diluents and/or Fortifier on the Glass Fiber-Epoxy Composites, 1439A
**Thompson, P. A.** See Sohn, J. E., 2627A
**Tianyi, S.** See Yue-e, F., 821B
**Tighzert, L.** See Bouillon, N., 2103B
**Tillman, A.-M.** See Andersson, M., 3437A
**Timm, D. A.** See Hsieh, Y.-L., 1719B
**Ting, H.-Y.** See Ko, T.-H., 541A, 553A
**Tiwari, S. C.** See Shukla, J. S., 291B
**Tomiie, K.** See Momose, T., 2165A
**Tong, H. M.**
—; Saenger, K. L.: Bending-Beam Study of Water Sorption by Thin Poly(methyl Methacrylate) Films, 937B
**Tonogai, S.** See Hasegawa, K., 3423A
**Tonogali, S.** See Hasegawa, K., 1581B
**Torikai, A.** See Andrady, A. L., 935A
**Touloupis, C.** See Liouni, M., 2699A
**Trifonova, M.** See Peev, G., 999A
**Tsai, R.-S.** See Teh Hu, A., 1863A
**Tsiourvas, D.**
—; Paleos, C. M.; Dais, P.: Functionalized Polymers Derived from the Reaction of Polymaleic Anhydride with Amines and Alcohols, 257B
**Tsonis, C. P.** See Ali, Sk. A., 3163A
—; Ali, Sk. A.; Wazeer, M. I. M.; Abdennabi, A. M. Copolymerization of Sulfur Dioxide with Some Alkenoic Acids, 1899B
**Tsubata, I.** See Miyauchi, S., 289A
**Tsukada, M.**
—; Shiozaki, H.: Chemical and Property Modification of Silk with Dibasic Acid Anhydrides, 2637A
**Tujii, Y.** See Maekawa, M., 2141A
**Tunc, M.** See Horrocks, A. R., 1051A
**Turturro, A.** See Gattiglia, E., 1807B
**Tyagi, O. S.**
—; Deshpande, D. D.: Simple Dilatometer for Polymer Density and Thermal Expansivity Measurements, 2041A
**Tzoganakis, C.**
—; Tang, Y.; Vlachopoulos, J.; Hamielec, A. E.: Measurements of Residence Time Distribution for the Peroxide Degradation of Polypropylene in a Single-Screw Plasticating Extruder, 681A

**Uchida, N.** See Nishikubo, T., 2225B
**Uchino, N.** See Morita, H., 1997B
**Udaka, M.** See Maekawa, M., 2141A
**Uede, K.** See Hasegawa, K., 1581B
**Ueno, E.** See Sue, H., 1305B
**Uliana, C.** See Vigo, F., 1197B
**Ulrén, L.**
—; Hjertberg, T.: Adhesion between Aluminum and Copolymers of Ethylene and Vinyltrimethoxysilane, 1269A
**Ungeheuer, S.**
—; Bewersdorff, H.-W.; Singh, R. P.: Turbulent Drag Effectiveness and Shear Stability of Xanthan-Gum-Based Graft Copolymers, 2933A
**Urbańczyk, G.**
Molecular Orientation in the Amorphous Fraction of Poly(ethylene Terephthalate) and Polyamide 6 Fibers, 55B
**Uriarte, C.** See Iribarren, J. I., 3459A

**Vacek, K.** See Klimová, M., 3449A
**Vaidya, U. R.**
—; Nadkarni, V. M.: Polyester Polyols from Glycolyzed PET Waste: Effect of Glycol Type on Kinetics of Polyesterification, 1179B
**Valenza, A.** See La Mantia, F. P., 583B
**Vallés, E. M.** See Cebollada, A. F., 145A
**Varma, D. S.** See Varma, I. K., 1299A
**Varma, I. K.**
—; Saxena, S.; Varma, D. S.: Studies on Polypyromellitimides Containing Phosphorus, 1299A
**Varughese, K. T.**
—; De, P. P.; Sanyal, S. K.; De, S. K.: Miscible Blends from Plasticized Poly(vinyl Chloride) and Epoxidized Natural Rubber, 2537A
**Vasugi, N.** See Subramaniam, V., 207B
**Venkata Rao, K.** See Arumugam, N., 2645A; Kothandaraman, H., 2253B
**Venkateshwaran, L. N.** See Feng, D., 1549B
**Verdu, J.** See Bellenger, V., 2563A
**Vernekar, S. P.** See Idage, S. B., 2057B
**Vigo, F.**
—; Uliana, C.: Ultrafiltration Membranes Obtained by Grafting Hydrophilic Monomers onto Poly(vinyl Chloride), 1197B
**Vigo, T. L.**
—; Bruno, J. S.: Improvement of Various Properties of Fiber Surfaces Containing Crosslinked Polyethylene Glycols, 371A
**Vijayalakshmi, P.** See Kale, V., 1287B
**Vita, G.** See Storti, G., 2443A
**Vitta, S. B.**
—; Stahel, E. P.; Stannett, V. T.: The Preparation and Properties of Acrylic and Methacrylic Acid Grafted Cellulose Prepared by Ceric Ion Initiation. III. Some Physical, Mechanical, and Ion Exchange Properties, 503B
**Vlachopoulos, J.** See Tzoganakis, C., 681A

**Wågberg, L.** See Aksberg, R., 297B
**Wallis, A. F. A.** See Evans, R., 2331A, 3291A
**Wally, A.** See Khalil, M. I., 313B

**Walton, T. R.**
A Processable Prepolymer for the Preparation of a Stable Conductive Polymer, 1921A
**Wang, C. C.** See Hsiue, G. H., 1591B
**Wang, H. T.** See Mijović, J., 2661A
**Wang, Y.** See Cakmak, M., 977A
**Ward, T. C.** See Kelley, S. S., 2961A
**Wassef, M. T.** See Lawandy, S. N., 567A
**Watanabe, J.** See Yamaura, K., 3251A
**Watanabe, Y.** See Bratawidjaja, A. S., 1141A
**Wazeer, M. I. M.** See Ali, Sk. A., 3163A; Tsonis, C. P., 1899B
**Wearne, R. H.** See Evans, R., 3291A
**Weber, R.** See Shibusawa, T., 3399A
**Wei, Y.** See Krishnamurthy, V., 605B
**Weinert, R. J.**
—; Piirma, I.: Synthesis of Copolymers of *N,N*-Dimethyl Acrylamide and Methacrylate Esters and their Surface Tensions, 1295B, 1667B
**Wenfeng, W.** See Yue-e, F., 821B
**Wenner, W. M.** See Khanna, Y. P., 571B
**White, J. L.** See Kyu, T., 201A
**White, R. C.** See Goldblatt, R. D., 335A
**Widdecke, H.** See Ihm, S.-K., 109A
**Wiles, D. M.** See Day, M., 323B
**Wilkes, G. L.** See El-Naggar, A. M., 1655A; Feng, D., 1549B; Kim, H.-C., 1515B; Ko, C. U., 3063A; Tant, M. R., 2873A
**Wilkie, C. A.** See Chang, P.-H., 2245B; Sirdesai, S. J., 863A, 1595A
**Williams, H. L.** See Han, K., 73B
**Williams, M. C.** See Spontak, R. J., 1607B
**Williams, P. S.** See Schimpf, M. E., 2059A
**Wingborg, N.** See Sandén, R., 167A
**Wissler, E. H.** See Seo, Y., 1159A
**Włochowicz, A.**
—; Janicki, J.: The Supermolecular Structure of Poly(vinyl Chloride)–Poly(methyl Methacrylate) Blends, 1469B
**Wódka, T.**
Studies on the Synthesis of Fiber-Forming Block Copolymers of Polyacrylonitrile and Poly(ethylene Oxide), 581A
**Wong, C. P.** See Ko, C. U., 3063A
**Wood, B. F.**
—; Conner, A. H.; Hill, C. G., Jr.: The Heterogeneous Character of the Dilute Acid Hydrolysis of Crystalline Cellulose, 1373A
**Wu, A. H.** See Sako, T., 1839B
**Wu, M.** See Hsieh, Y.-L., 1719B
**Wu, M. L.** See Hsieh, K. H., 3471A
**Wu, Z.** See Chen, K., 1377B; Zhang, A., 1369B
**Wunderlich, B.** See Grebowicz, J., 707B
**Wunderlich, W.** See Glöckner, G., 3147A
**Wydeven, T.**
—; Golub, M. A.; Lerner, N. R.: Etching of Plasma-Polymerized Tetrafluoroethylene, Polytetrafluoroethylene, and Sputtered Polytetrafluoroethylene Induced by Atomic Oxygen [$O(^3P)$], 3343A
**Wyzgoski, M. G.** See Martin, D. C., 3029A

**Xu, J. R.**
—; Balik, C. M.: Infrared Attenuated Total Reflectance Study of Latex Paint Films Exposed to Aqueous Sulfur Dioxide, 173B
**Xu, P.** See Sada, E., 687B

**Yamada, T.** See Morooka, T., 849B
Effect of Diantimony Trioxide on Direct Esterification between Terephthalic Acid and Ethylene Glycol, 1821A
**Yamamoto, M.** See Sakata, J., 2773A
**Yamaoka, T.** See Morita, H., 1997B; Nakazato, S., 627B; Omote, T., 389B
—; Zhang, Y.-C.; Koseki, K.: *N*-Phenylglycine-(Thio)xanthene Dye Photoinitiating System and Application to Photopolymer for Visible Laser Exposure, 1271B
**Yamashita, K.** See Ochi, M., 789B
**Yamashita, S.** See Mochizuki, A., 3357A, 3375A, 3385A
**Yamaura, K.**
—; Itoh, M.; Tanigami, T.; Matsuzawa, S.: Properties of Gels Obtained by Freezing/Thawing of Poly(vinyl Alcohol)/Water/Dimethyl Sulfoxide Solutions, 2709A
—; Watanabe, J.; Tanigami, T.; Matsuzawa, S.: Properties of Syndiotactic-Rich Poly(vinyl Alcohol) Thin Film in Water. VII. Elastic Behavior of Swollen Film in Water through Heating/Cooling or Cooling/Heating Cycles, 3251A
**Yang, C.-P.**
—; Lee, L.-T.: Syntheses and Properties of Pentaerythritol-Containing Urethane Prepolymers and Crosslinked Films, 1699A
—; Sheen, B.-S.: Effect of Tetrabromobisphenol A Diallyl Ether on the Flame Retardancy of High Impact-Strength Polystyrene, 3185A
**Yang, S.-Y.** See Chiang, W.-Y., 499A
**Yang, Y. S.**
—; Lee, L. J.; Lo, S. K. T.; Menardi, P. J.: Monitoring the Cure of Unsaturated Polyester Resins by Pressure DSC and FTIR-PLC, 2313A
**Yasuda, H.** See Sharma, A. K., 741B
**Yau, W. W.** See Kirkland, J. J., 1383B
**Yaykin, Ö.**
—; Savaşçi, Ö. T.; Baysal, B. M.: Modification of Atactic Polypropylene to Prepare Emulsions by Oxidation in Melt, 2383A
**Yeh, T.-S.** See Hsiue, G.-H., 2803A
**Yilgor, I.** See Senger, J. S., 373B
**Yoshida, H.** See Maekawa, M., 2141A
**Yoshii, M.** See Misaki, T., 2617A
**Yoshikawa, M.**
—; Ohsawa, T.; Tanigaki, M.; Eguchi, W.: Application and Development of Synthetic Polymer Membranes. II. Separation of Aqueous Ethanol Solution Through Poly(*tert*-Butyl Methacrylate-Co-Styrene) Membranes, 299A
**Yoshimura, K.**
—; Kitade, T.; Kitamura, K.; Hozumi, K.: Structural Interpretation of Plasma-Polymerized Propargyl Alcohol, 1011B
**Yoshioka, H.** See Momose, T., 2817A, 2091B
**Yoshizawa, I.** See Kaji, K., 2153A
**Yoshizumi, M.** See Ochi, M., 789B
**Yossifon, S.**
—; Szanto, M.: Dynamic Compression Characteristics of Flexible Foams. II. Density Variation, 1347B
**Young, R. A.** See Barkalow, D. G., 1009A
**Yu, F.** See Ni, S., 729A
**Yue-e, F.**
—; Tianyi, S.; Wenfeng, W.; Fang, S.: Kinetics of Radiation-Induced Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Polyethylene Membranes, 821B
**Yusuf, A. K.** See Olayemi, J. Y., 1779B

**Zhang, A.**
—; See Chen, K., 1377B
—; Chen, K.; Zhao, H.; Wu, Z.: Rheological Behavior of Ultrahigh Molecular Weight Polyethylene Semidilute Solutions. I. Solvent Effect, 1369B
**Zhang, Y.-C.** See Yamaoka, T., 1271B
**Zhao, H.** See Zhang, A., 1369B
**Zhonge, X.**
—; Ping, Y.; Jingguo, Z.; Erfang, J.; Meiyan, W.; Fetters, L. J.: The Characterization of a Poly(ethylene Terephthalate)–Poly(tetramethylene Ether) Multiblock Copolymer via Cross Fractionation and Size Exclusion Chromatography, 3195A
**Zhu, K. J.**
—; Kwei, T. K.; Pearce, E. M.: Thermostability of Poly(*p*-Hydroxystyrene) Blends with Poly(vinyl Pyrrolidone) and Poly(ethyl Oxazoline), 573A

# Subject Index to Volumes 37 and 38

**Please note that A refers to Volume 37 and B refers to Volume 38.**


Absorbance ratio method, 73B
Acrolein, radiation-induced grafting, 2429A
Acrylamide, copolymerization, 185B
Acrylate–methacrylate copolymers, 1233A
Acrylic nonaqueous dispersion, 915A
Acrylic polymer blends, 513A
Acrylonitrile (AN), 1171A, 2099A
—, graft copolymerization, 1171A
Adhesion, 1269A, 2529A
—, functional group efficiency, 1287A
Adhesive, 1137A
—, aerospace, 1137A
Adhesives, 15A, 3329A
—, pressure-sensitive, 33A
Adhesive/substrate system, 765B
Aerospace adhesives, effect of humidity on, 15A
Alcohols, oxidizing reagents, 2109A
Alkali, 1447B
Alkali metal hydroxides, swelling power, 1739A
Alkali metal ions, selective transport, 241A
Aluminum, adhesion and polyethylene, 1269A, 1287A
Aluminum stearate, 1377B
4-Aminoazobenzene derivative, sorption/diffusion, 3399A
Aminolysis, 2855A
Amorphous copolyester, effects of annealing, 1019A
Anion exchange celluloses, 313B
Anionic electrosteric surfactants, 1415A
Anionic polymerization, 393A, 1079A
Anionic polymerization of styrene (APS), 393A
Annealing, 1019A
Antioxidants, 3335A, 1B
Arabinoxylans, 1919B
Aramid fibers, 593B, 1053B, 2073B
—, coupling agent for, 1053B
ARB monomers, 979B
Argon glow discharge, 1719B
Aromatic epoxies, 2563A
Aromatic polyamides, 1053B
Aromatic polyimide fiber, 867A
Artificial membrane processes, 2181A
Atactic 1,2-polybutadienes, multiple transitions, 729A
Atactic polypropylene, 1941B
Atactic polypropylene (APP), oxidation, 2383A
Atomic oxygen, 3343A
Attenuated total reflectance (ATR), 2469A
Attenuated total reflection-infrared (ATR-IR) spectroscopy, 851A
Azidomethylated polystyrene, 1997B
Azoaromatic polyamides, 3281A
Azo dyes, cis-trans isomerization, 755B
—, photofading, 755B

Barium titanate–polypyrrole compositions, electrical properties, 289A
Beech wood (*Fagus crenata*), copolymerized with acrolein, 2283A
Benzoyl peroxide, decomposition, 3177A
Binary blends, 1699B
Biomaterials, 829B
Birefringence, 977A
Bisitaconimides, 127A
Bisphenol-A polycarbonate, blends, 1807B
Block copolyetheramides, 1863A
Block copolymer, 867A
Block copolymers, 95B, 1761B
—, PAN, 581A
—, PEO, 581A
—, structure–property relationships, 1607B
Bonding agent (BA), and polymer–filler interactions, 2845A
Bonding propellants, 167A
Boron trifluoride monoethyl amine complex, as curing agent, 1105A
Bound water, 3137A
Butadiene rubber (BR), 987A
Butylated melamine–formaldehyde (BMF) resins, 915A
Butyl rubber pyrolysis, 1319A

Capillary gas chromatography (CGC), 183A
Carbon black-loaded rubbers, electrical conductance, 1209A
Carboxyl functional liquid crystalline (LC) acrylic copolymers, 1063A
Carboxymethylcellulose (CMC), 365A
Casein, 1311A
Castor oil, and interpenetrating polymer network synthesis, 841A
Cation-exchange membrane, 1025B
Cation-exchange membranes, 2091B
Cationic membranes, 1229B
Cationic polyacrylamides, hydrolysis, 297B
Cationic polyelectrolytes, 1077B
Cellulose, 2781A
—, molecular weight distribution, 3291A
—, oxidation, 619B
—, periodate oxidation, 849B
—, thermogravimetric analysis, 3305A
Cellulose acetate latexes, 173A
Cellulose acetate, production, 1009A
Cellulose fiber–polystyrene composites, mechanical properties, 751A
Cellulose fibers, 2141A, 1987B
Cellulose film, 365A
Cellulose-induced crosslinking, polyethylene, 3057A
Cellulose membrane, permselectivity, 3357A
Cellulose molecular weights, 2331A
Cellulose solutions, viscosity, 219B
Cellulosic fabrics, extinction oxygen index (EOI) values, 1051A
Cellulosic liquid crystals, 737A
Cellulosic polymers, 483B
Cellulosic substances, conductivity, 2079B
Ceric ion, 619B
Ceric ion initiation, 503B
Chain polymerization, 979B
Chemical copolymerization, halogen-induced, 2009B
Chemorheology, 2155B
Chitosan, adsorption, 1799B
Chitosan derivatives, interaction with dyes, 3011A
Chitosan gels, 997B
Chitosan membrane, permselectivity, 3375A
Chlorinated polystyrene derivatives, radiation chemical yields, 695A
Cholesteric liquid crystals, 2517A
*cis*-polybutadiene, melting behavior, 249B
Clay coatings, 2077A
Closed cell plastic foams, mechanical behavior, 281B
CO gas sensor devices, 2341A
Colorimetry, 1685A
Comblike polymers, 9B

Composite fibers, 2205B
Composite membranes, gas permeability, 2773A
Composites, 163B
—, cellulose-containing, 233A
—, strength properties, 233A
Conducting polymers, 1819B
Conductivity, 2079B
Controlled release technology, 441B
Copoly(chlorotrifluorethylene-vinylidene fluoride), crystallization, 1567A
Copolyesters, 1579A
—, unsaturated, 1037B
Copolymer composition, 529B
Copolymer composition drift, 1429A
Copolymerization, 1815A, 65B
Copolymers, 1295B, 1401B, 1421B, 1667B, 2225B
—, compositional analysis, 547B
—, composition control, 2019B
—, imide containing, 1727A
—, separation, 3147A
—, with quaternary ammonium salt side group, 2837A
Coprecipitation, 1233A
Corona discharge treatment, 1183A
Cotton fibers, 1739A
—, chemical modification, 207B
—, swelling, 2191A
—, tensile behavior, 1739A
Crack propagation, 2289B
Crack tip morphology, 2289B
Cross fractionation, 3195A
Crosslinked polyethylene glycols, 371A
Crosslinked polyethylene (PE), 593B
Crosslinking, 1159B, 2245B
Crosslinking wet spinning technique, 1403A
18-Crown-6 ether activator, 55A
Crystalline cellulose, dilute acid hydrolysis, 1373A
Crystallinity, and poly(vinyl chloride) (PVC), 1713A
Crystallinity estimation procedure, 2719A
Crystallization, 1889A
—, orientation-induced, 2683A
—, stress-induced, 249B
Cure behavior, 2191B
Cured epoxy resins, room temperature density, 1969A
Cured polystyrylpyridine resins, 1065B
Cure reactions, 2155B
Cyclic anhydrides, 1753A

DEAEMA/MMA, 2303B
Deformation behavior, 1313B
Density measurements, 2041A
Density parameter, 1347B
Dextran solutions, 2087A
—, viscosity, 2087A
Dialysis, 1465A
Diantimony trioxide, 1821A
Dicumylperoxide (DCPO) concentration, 777A
Dielectric anisotropy, 527A
Dielectric behavior, 1929B
Dielectric relaxations, 1127B, 1145B
Dielectric spectrum, 1127B
Die swelling, 1159A
Differential scanning calorimetry (DSC), 877A, 2313A, 3137A, 3227A
Differential solubility, 1009A
Dilatometer, 2041A
Dipolar aprotic solvents, 487A
Direct dye transport, 2141A
D,L-amino acids, 997B
Ductile–brittle (D–B) transition, 215A
Dyes, interaction with chitosan derivatives, 3011A
Dye transfer blank film, 2171B
Dynamic mechanical analysis (DMA), 877A

Elastic hydrogel membrane, 491B
Elastomer binder, 1567A
Elastomer blends, 1877A
Elastomeric block copolymer, 1313B
Elastomers, 2073B
—, reinforcement, 2757A
Electrical conductance, and solvent penetration, 1209A
Electrical insulating materials, 1753A
Electron beam (EB) curing, 1515B
Electron beam (EB) irradiation, 1655A, 1515B
Electron donors, 359B
Electron spin resonance spectroscopy, 2577A
Electrosteric surfactants, 1415A
Emulsion copolymerization, 947A, 1029A
—, mathematical models, 2727A
Emulsion polymerization, 65A, 1415A, 2443A, 3315A, 441B, 453B, 2237B
Emulsion polymerization model (EPM), 2727A
Emulsion polymerization reactions, 105B
Enamel coatings, 1063A
Endotherm, 707B
Entry flows, inertia, 627A
—, viscoelasticity, 627A
Environmental pollutants, diffusion, 227B
—, permeation, 227B
Environmental stress cracking (ESC), 669A
Enzymes, 2229A
—, immobilizing with polymer matrix, 2229A
EPDM matrices, 1197A
—, reinforcement with short fibers, 1197A
EPDM ternary blends, 317A
Epoxide–amine networks, 1957B
Epoxide–amine systems, 2563A
Epoxide, curing process, 2949A
Epoxide resin networks, internal stress, 789B
Epoxide resins, 789B
Epoxides, 1253B
Epoxidized natural rubber (ENR), 453A
Epoxy adhesives, 1931A
Epoxy-anhydride copolymerization, 2103B
Epoxy formulations, graphite-fiber-reinforced, 2661A
Epoxy laminates, 1439A
Epoxy–lignin polyblends, 877A
Epoxy novolac adhesive, 1931A
Epoxy–novolac resins, 1253B
Epoxy-phenolic system, time–temperature–transformation (TTT) analysis, 803A
Epoxy resin, 2115B
Epoxy resin curing agents, 1105A
Epoxy resin films, 2191B
Epoxy resins, 1753A, 1969A, 2617A, 3423A, 1581B, 2191B
—, cured, 1105A
—, fracture toughness, 2617A
—, rubber-modified, 2627A
—, rubber-modified, interfacial tension, 2627A
EPR, structural order, 789A
—, superreticular order, 789A
Equation of state (EOS), 1839B
Ester groups, hydrolysis, 297B
Esterification, 1821A
Ethanol-water azeotrope, separation, 1791A
Ethylene, copolymerization, 1815A
Ethylenediamine, kinetics of reaction, 1287B
Ethylene–propylene copolymers (EPR), bulk functionalization, 777A, 789A
Experimental variables, 571B
Extrusion molding, 1141A

Fiber-reinforced composites, 1439A
Fibers, cotton, chemical modification, 207B
—, dispersion, 1987B
—, dynamic mechanical analysis, 571B
—, frictional behavior, 899B
Fiber surfaces, modification, 371A
Filtered xenon radiation, 2789A
Fire retardation, 1595A
Flame retardancy, 3185A
Flame retardants, 1051A
Flame retardation, 2245B
Flame-retarded cotton fabrics, 1051A
Flexible foams, 1347B
Flexible polyurethane foams, 1351A
Fluidity, 9B
Fluorescence polarization, 2949A
Fourier transform infrared analysis (FTIR), 605B

Fourier-transform infrared/attenuated total reflectance (FTIR–ATR), 173B
Fourier transform infrared (FTIR) spectrometry, 2313A
Fourier transform infrared (FTIR) spectroscopy, 2131A, 1065B
Fracture initiation, 339B
Fracture surfaces, 511B
Free radical copolymerization, 1551A
Free radicals, adsorption, 947A
—, transport, 105B
Fumaronitrile (FN), copolymerization with styrene (ST), 65B
Functionalized polymers, 257B
Functional polymers, synthesis, 2429A

γ-irradiation, 2269B
γ-radiation, 1967B
Gamma radiation, 1915B
Gases, permeability, 483B
Gas transport, 809B
Gelatin, 2171B
Gelatins, 2203A
—, grafted, crosslinked, 2203A
Gel production, 2225B
Gel resins, 109A
Gels, poly(vinyl alcohol) (PVA), 2709A
—, freezing/thawing, 2709A
Glass fiber–epoxy composites, 1439A
Glassy polymer films, effect of plasma treatment, 687B
—, gas transport, 687B
Glassy polymer thin films, 859B
Glucomannan, alkaline extraction, 907B
Glucose oxidase membrane, 1591B
Glucose sensor, 1591B
Glycidyl celluloses, preparation, 3003A
Gradient high-performance liquid chromatography (HPLC), 3147A
Graft copolymerization, 1253A, 1423A, 1551A, 1993A, 2099A, 3085A, 3177A, 2171B
—, of poly(butyl methacrylate) (PMMA), 291B
—, radiation-induced, 39A, 821B
Graft copolymers, 1941B
—, xanthan-gum-based, turbulent drag reduction, 2933A
Grafted casein film, stress–strain characteristics, 1311A
Grafted cellulose, ion exchange properties, 503B
—, physical properties, 503B
Grafted chain, as spacer on catalytic activity, 969B
Grafting, 39A
Grafting, xanthate method, 2283A, 841B
Graft polymerization, and surface modification, 2921A

Hair keratin fibers, crosslinks, 1159B
Halar, dielectric properties, 135B
Halogen-induced chemical copolymerization, 2009B
HDPE/LDPE blends, 667B
HDPE membranes, permeation characteristics, 227B
HDPE milk crate, environmental stress cracking (ESC), 669A
HDPE/(PEC/PS) blends, 403A
Heat transfer, 1961A
Hermans orientation functions, 55B
Heusler alloys, 1739B
High-density polyethylene (HDPE)-filled natural rubber (NR) vulcanizates, tensile properties, 961A
Highly swollen PVA films, elastic behavior, 3251A
High-performance liquid chromatography (HPLC), 1761B
High performance size exclusion chromatography (HPSEC), 3291A
High pressure sorption technique, 1111B
High shear rate processing, 1837A
High-strength fibers, 2351A
High strength–high modulus materials, 3063A
High-strength poly(vinyl alcohol) (PVA) fibers, preparation, 1403A
High temperature-resistant adhesives, 3329A
$^1$H nuclear magnetic resonance (NMR), 2051A
Homogeneous continuous-flow stirred tank reactors, 3205A
Homogeneous periodate oxidation, 849B
Homopolymers, 1779B
Hot melt adhesives, 1863A
HPC liquid crystal chiroptical filters, 2517A
HTPB (hydroxyl-terminated polybutadiene) liner, 167A
Hydrocarbons, 1503B
Hydrogels, 2121A
Hydrolysis, 1373A, 1447B, 2091B
—, polysaccharides, 2371A
Hydrophilic monomers, 1197B
Hydrophilic polyethylene foam, 2153A
Hydrophobic–hydrophilic membranes, 453B
Hydroxypropyl cellulose, 1147A
Hydroxypropyl cellulose (HPC), effect of salts, 737A

Imidazole catalysts, 2103B
Imide containing copolymers, impact modification, 1727A
Imide end-capped oligomers, 1745B
Impact thermoplastics, 1527A
—, toughening efficiency, 1527A
Injection molding, 1479B
*In situ* density measurement, 1801A
Insoluble polymer catalysts, 969B
Interface adhesion, 511B
Interfacial polycondensations, 351B
Interfiber friction, 899B
Interpenetrating polymer network (IPN), 841A
Interpenetrating polymer networks (IPNs), 645B
Inverse gas chromatography (IGC), 3459A
Inverse relaxation, 21B
Inverse relaxation index, 21B
Ionene elastomers, 1535B
Ionenes, 1535B
Ion exchange, 365A
Ion-exchange celluloses, preparation, 313B
Ion exchange resin, 1641B
Ion exchangers, 2417A
—, as adsorbents, 2417A
Ionizing radiation, 579B
Ionomeric blends, 3471A
Ionomers, 73B
IR analysis, 877A
Irradiated polyethylenes (PEs), dielectric relaxations, 1127B
Irradiation, 1967B
Irradiation grafting, 2091B
IR spectroscopy, 1173B, 1919B, 1951B
Isocyanate–epoxy reactions, 373B
Isomerization, 2283B
Isoprene, 477B
Isoprene–rubber (R), 477B
Isotactic propylene, 1479B
Isothermal annealing, 2115B
Isothermal calorimetry, 1221A
Isothermal crystallization, 2283B
Isothermal differential thermal analysis (DTA), 3335A
Itaconic units, distribution, 1439B

Jute, acetylation, 3437A
Jute fibers, 1423A, 2099A, 1951B
—, and graft copolymerization, 1171A

Kaolin, 1799B
Keratin, crosslinking structure, 29B, 1159B
Keratin fibers, 29B
Keratin films, 2131A
Kerner theory, 1877A
Kevlar yarns, tensile strength degradation, 2213A
Kinetic density curves, 2033A
Kraft pulp, 1987B

Laser direct imaging, 1271B
Latex carriers, 441B

Latexes, cellulose acetate, 173A
Latex films, 557B
Latex particles, 105B
Least squares, 1357B
Lignin, 2399A
—, formulation of engineering plastics, 3119A
Lignin-based engineering plastics, 3119A
Lignin-based polyurethanes, 2961A
Lignin derivatives, fractionation, 2961A
Lignocellulose materials, 1913B
Linear blends, and IPNs, 645B
Liquid adsorption chromatography, 95B
Liquid chromatography, 997B
Liquid crystalline polymers, 3063A
Liquid crystalline solutions, 2781A
Liquid crystal polymers (LCP), 583B
Long chain vinyl esters, 9B
Loop polymerization, 2237B
Low density polyethylene (LDPE) films, 1503B
—, diffusion of organic penetrants, 617A

Macroradical decay, 3449A
Macroradicals, 3449A
Macroreticular resins, 109A
Magnesium aluminum alkyls, 1975B
Magnetoviscometer, using inhomogeneous magnet field, 2675A
Maleic anhydride (MAH), 1141A
Maleic-anhydride-modified polypropylene (MPP)/refiner ground pulp (RGP) composites, 645A
Mark–Houwink–Sakurada equation, 1305B
Matrix phase, particles in, 1877A
Matrix resins, 2587A
*m*-cresol, 1147A
Mechanical behavior, 1677B
Mechanical pulp, acetylation, 1009A
Melamine-based admixture preparation
Melamine-based admixtures, preparation, 2251A, 2263A
—, process optimization, 2251A
Melamine–urea resins, 727B
Melt, 1685B
Melt reactions, 1677B
Membrane separation process, 1259A
Metal–polymer adhesion, 335A
Metal–polymer complexes, 2269B
Metal soap, 1685A
Metal substrates, 3413A
Methacrylate copolymers, 1401B, 1421B
Methacrylated-butadiene-styrene (MBS) emulsion particles, 225A
Methacrylate esters, 1667B
—, synthesis, 2987A
—, synthesis on pilot plant scale, 2987A
Methane, plasma polymerization, 741B
Methyl methacrylate, gel effect in free radical polymerization, 825A
Methyl methacrylate (MMA)-grafted jute, 1423A
Methyl methacrylate (MMA), vapor phase photografting, 717B
Mica, 1449A
Micellar nucleation theory, 1029A
Microhardness analysis, 1879B, 2283B
Microporous clay membrane materials, 1125A
Miscible PVC blends, 2537A
Miscible systems, 2537A, 1653B
Mixhead geometry, 2295A
MMA/TPX homograft membrane, 2907A
Modified Williams–Landel–Ferry (WLF) equation, 889A
Molded phenolic resins, 499A
Molecular orientation, 977A
Molecular packing, 1957B
Molecular relaxations, 135B
Molecular weight, 1295B, 1745B, 1779B, 1883B
Molecular weight distribution, 2059A, 3315A
Molecular weight distribution (MWD), 1239A
Monomer addition policies, 2019B
Monomers, synthesis, 33A
Moore's equations, 2699A
Multiblock copolymers, 267A, 3195A, 1607B
Multifunctional synthetic polymers, 2051A
Multiphase polymeric systems, 2491A
Multisite models, 1625A

Natural rubber (NR), 987A
Natural rubber (NR) tubes, 829B
Natural rubber–polyolefin blends, 1091B
Neutralized chitosan membrane, permselectivity, 3385A
Newtonian annular jet swelling, 1159A
NMR spectroscopy, 1A
Nonpolar matrices, 593B
Nonpolar–polar solvent mixtures, sulfonated PIB telechelic ionomers, 2873A
Nonpolar solvents, sulfonated PIB telechelic ionomers, 2873A
Non-steady state, 2181A
Novolacs, and epoxy resins, 3423A
NR vulcanizates, 443A
—, dual function curative, 443A
Nuclear magnetic resonance (NMR), 1815A
Nucleophilic substitution, 1685B
Nylon 4 membranes, plasma modification, 1465A
Nylon 4, synthesis, 55A
Nylon 6, 479A, 1363A
—, crystalline structures, 1363A
—, reaction injection molded (RIM), 3029A
Nylon 6/continuous glass fiber composites, 77A
—, impact fracture toughness, 77A
Nylon 66, 351B
Nylon-rubber blends, 479A
Nylon yarns, tensile strength degradation, 2213A

*o*-cresol novolacs, 1581B
Oil-seal embrittlement, prevention, 567A
Oil-seal maintenance, 567A
—, use of antioxidants, 567A
Olefins, 483B
Oligomers, 183A, 1745B
Optical rotation, and radiation, 2439A
Optimum conversion peak, 2237B
Organic compounds; sorption, 2417A
Organic ligands, 65A
Organic penetrants, 901A
—, penetrant molecules, 617A
Organosilicon plasma-polymerized coatings, 3413A
Oxidation, 619B
Oxidizing reagents, 2109A
Oxygen diffusion coefficient, 2577A
Oxygen enrichment membrane, 2907A

Paint films, 173B
Paper coatings, 2077A
Paper sheets, dielectric anisotropy, 527A
Particle morphology, 145A
Particle volume fraction, 2289B
PC-acrylic blends, 1153A
PEEK, thermal stability, 323B
PEIT copolyester films, thermal shrinkage, 2803A
Pentaerythritol (PETH), 1699A
Permeability, 2131B
Permselectivities, 2181A
Pervaporation, 299A, 1791A, 3357A, 3375A, 3385A
PET blends, 3063A
PET fibers, 55B
Petroleum oil, 1573B
PET waste, glycolysis, 1179B
Phase modification, 1091B
Phase separation, 45B
Phenol–formaldehyde resins, 163B
Phenol-furfural (PFu) resins, 925A
Phenolic resins, 1A, 499A, 1305B
Phenols, 1253B
Phenoxy resin, 3459A
Phenyl esters, 1077B
Phosphazene polymers, 809B
Phosphorus, 1299A
Photoacoustic Fourier transform infrared spectroscopy (PAS/FT-IR), 765B
Photobleaching, 935A
Photocrosslinking, 1997B
Photocurable acrylates, 2037B

Photopolymers, 1271B
Photoreactive polyimide precursors, 389B
Photoreactive polyimides, 389B
Photosensitive urethane oligomers, 627B
Photoyellowing, 935A
Pine pulp fibers, 907B
Plasma activation, 1591B
Plasma-induced polymerization, 605B
Plasma polymer, 605B
Plasma polymerization, 2773A, 3413A, 741B, 887B, 1011B, 1829B, 1869B
Plasma polymerization process, 91A
Plastic foams, as cushioning materials, 281B
Plasticizer migration, 1573B
Plastics, from solid wastes, 667B
Pole figure analysis, 923B
Polyacetal copolymers, 87B
Polyacetal/polyurethane blends, 951B
Polyacetal (POM), resins, 951B
Polyacrylonitrile (PAN) fibers, 581A
—, modification, 541A
—, pyrolysis, 563A
—, stabilization, 541A, 563A
Polyacrylonitrile–polypyrrole composite film, 1173B
Polyacrylonitrile, thermal degradation, 265B
Poly(alkylene ether carbonate) diols, 1491A
Polyamic acid, 389B
Polyamide blends, 123B
Polyamide 6, blends, 1807B
—, effect of liquid crystal polymers (LCP), 583B
Polyamide fiber, 867A
Polyamide 6 fibers, 55B
Polyamide–imide films, water sorption, 305B
Polyamides, 3281A, 1287B
Polyamidoethers, 1559A
—, thermal decomposition, 1559A
Polyaniline, as conducting polymer, 1819B
Polyaramides, 2057B
Poly(aryl ether ether ketone) (PEEK) films, 381A
Polyblends, 3471A, 645B, 1401B, 1421B, 1677B
Poly(butyl methacrylate) (PBMA), graft copolymerization onto wool, 291B
Polycation, 1025B
Polychloroprene, 1551A
Polychromatic light, 2789A
Polydibutylgermane, X-ray exposure, 1589A
Poly(DMAPS), thermal degradation, 3263A
Polyelectrolyte complexes, 2275A
—, sorption kinetics, 2275A
Polyester chips, synthesis, 661A
Polyesterification, 1179B, 1357B
Polyester resins, thermal behavior, 1901A
Poly(ether ether ketone) (PEEK), crystallinity index, 655B
—, crystallization kinetics, 655B
—, elastic modulus, 655B
Polyethylene, adhesion and aluminum, 1269A, 1287A
—, cellulose-induced crosslinking, 3057A
—, dielectric relaxations, 1645A
—, fracture, 339B
—, fusion welding behavior, 147B
—, morphology, 1567B
Poly(ethylene adipate), molecular weight distribution, 1883B
Polyethylene-aluminum laminates, adhesion, 1183A
—, effect of corona discharge treatment, 1183A
Poly(ethylene ether carbonate) polyols, molecular weight advancement, 463B
Polyethylene membranes, 821B
Poly(ethylene oxide) (PEO), immobilization, 91A
Polyethylene (PE), adhesion, 3105A
—, surface modification, 3105A
Polyethylene (PE) solutions, rheology, 1377B
Polyethylenes, annealing, 2549A
—, dynamic-mechanical relaxations, 2549A
—, irradiation, 2549A
Poly(ethylene terephthalate) (PET), alkali hydrolysis, 1447B
—, melt transesterification, 707A
—, morphological changes, 2855A, 1719B
—, sorption of penetrants, 1513A
—, surface modification, 335A
—, surface wetting, 1719B
—, transport of penetrants, 1513A
Poly(ethylene terephthalate) (PET) fibers, graft copolymerization, 539B
Poly(ethylene terephthalate) (PET) films, 1801A
Poly(ethylene terephthalate) (PET) yarns, production processes, 595A
Polyethylene–wood fiber composites, effect of coupling agents, 1089A
Polyimides, 305B
—, aromatic, 127A
Polyisobutylene-based flexible polyurethane foams (PIB–PUF), 1351A
Poly(L-lactide), tensile drawing behavior, 2351A
Polymaleic anhydride, as a reactive polymer, 257B
Polymer adhesives, 1863A
Polymer blend films, 2469A
Polymer blends, 1153A, 2399A, 667B, 1219B, 1807B
—, crystallization, 1481A
—, liquid crystalline behavior, 1147A
—, supermolecular structure, 1469B
—, transition behavior, 1481A
Polymer-bound chelating ligands, 1243B
Polymer catalyst–substrate–solvent, 1211B
Polymer crystallinity, estimation by dynamic mechanical techniques, 2719A
Polymer–diluent blends, 3227A
Polymer encapsulation, 2183B
Polymer–filler interactions, 2845A
Polymer films, 717B
—, gas permeability, 1869B
—, radiation grafting, 2165A
Polymeric catalyst system, 1211B
Polymeric hydrogels, 2121A
Polymeric latex films, residual porosity, 557B
Polymeric materials, stressed, 215A
Polymeric systems, long-duration process in, 1221A
Polymer latex particles, 403B
Polymer matrix, 1987B
Polymer–matrix composites, fiber-reinforced, 2661A
Polymer melts, 1739B
Polymer melt systems, 2603A
Polymer membranes, 299A
Polymer modification, 887B
Polymer particle population balances, 2443A
Polymer–polymer composites, 1173B
Polymer–polymer incompatibility, 1909A
Polymer–polymer interaction parameter, 1909A
Polymer solutions, flow, 627A
—, non-Newtonian behavior, 219B
Polymer–solvent systems, 2237A
Polymer thermolysis, 1319A
—, invariant kinetic parameters, 1319A
Polymers, correlated color temperature change, 283A
—, drawing, 1961A
—, electron beam (EB) effects, 1655A
—, rubber-toughened, 1527A
—, thermal stabilities, 573A
—, thermal stability, 1901A
Polymethacrylates, dielectric relaxation, 1145B
Poly(methyl methacrylate) (PMMA), flame retardant, 863A
—, lithographic effect of electron beam in SEM, 817A
Poly(methyl methacrylate) (PMMA) powders, physical aging, 1111B
Poly(methyl methacrylate)s, characterization, 65A
Polynorbornene, crystallization, 1191B
Polyolefin backbone chain, 1491B
Polyolefin, reaction with maleic anhydride (MAH), 359B
Polyolefins, 1B
—, gasification, 1491B
Polyolefin ternary blends, 317A
Polyols, 1491A, 463B
Polyoxazolidones, preparation, 373B
Poly(*p*-hydroxystyrene) blends, thermostability, 573A
Polypropylene morphology, 755B
Polypropylene–polyethylene (PP–PE) blends, crosslinking, 467A
Polypropylene polymerization, 1605A, 1625A
—, catalysts, 1605A

Polypropylene (PP), adhesive property, 1141A
—, effect of nickel (Ni) powder on crystallization, 1889A
—, melt rheological behavior, 1699B
—, melt spinning, 2683A
—, peroxide degradation, 681A
Polypropylene (PP)/refiner ground pulp (RGP) composites, 645A
Polypropylene (PP)–wood flour (WF) composites, 2019A
Polypropylene with glass fiber composites, 511B
Polypyromellitimides, phosphorus-containing, 1299A
Polypyrrole (PPY)-halogen complexes, 2169A
Polystyrene, 393A, 1339A
—, flame retardancy, 3185A
Polystyrene latex particles, 1335B
Polystyrene–polyisobutylene network composites, 2757A
Polystyrene (PS) latex, 403B
Polystyrene (PS), thermoplastic composites, 413B
Poly(substituted-acetylene), chemical modification, 1259A
Polysulfones, 3163A
Polytetrafluoroethylene (PTFE) crystals, thermal properties, 707B
Polytetrafluoroethylene (PTFE) films, crystalline orientation, 2897A
—, surface morphology, 2897A
Polytetrafluoroethylene (PTFE), irradiation, 2529A
Polytherm, 371A
Polyurethane coatings, 1699A
Polyurethane methacrylates, 1669A
Polyurethanes, 2253B
Poly(vinyl alcohol) films, properties, 3251A
Poly(vinyl chloride), crosslinking, 429A
—, crosslinking, effects of ETU and sulfur, 429A
—, pole figure analysis, 923B
Poly(vinyl chloride) (PVC), 1641B
Poly(vinyl chloride) (PVC) sheets, 1573B
Poly(vinyl chloride) (PVC), chemically modified, 1855A
—, density homogeneity, 2033A
—, kinetics of free monomer removal, 999A
—, multiphase polymeric systems, 2491A
—, nucleophilic substitution, 1685B
—, stabilization, 1685A
—, tensile yield properties, 2827A
—, thermal properties, 2485A
—, vinylchloride (VC) removal, 999A
Poly(vinyl chloride) (PVC) formulations, photodegradation, 2789A
Poly(vinyl chloride) (PVC) processing, crystallinity changes, 1713A
Poly(vinyl chloride) (PVC)/natural rubber, miscible blends, 2537A
Polyvinylidene fluoride, 977A
Pore structure, 45B
Porosity, 557B
Porous copolymers, 45B
Postforming behavior, 1541A
Postforming cooling, stress evolution analysis, 1541A
PP/HDPE ternary blends, 317A
PPTA/Nylon 6 composites, 201A
PPTA/Nylon 66 composites, 201A
Preformed polymers, chemical modification, 3085A
Preirradiation, 2165A
Preirradiation grafting, 2817A
Prepolymer, 1921A
Pressure-sensitive adhesives, 33A, 3097A
—, tack, 3097A
Preswollen polymers, 915B
Prism liquid cell (PLC), 2313A
Propargyl alcohol, 1011B
Propellant binder studies, 2253B
Propellant grains, 3237A
Propellant systems, 2253B
Protein, sol–gel transition, 579B
Proteins, irradiation, 2439A
—, radiation-induced sol-gel transition, 1731A
Proton-NMR studies, 87B
Pseudo-homopolymerization, 2443A
PS/SAN blends, 225A
PTMO–ionene polymers, 1549B
PVAc/PEMA, compatibility, 1779B
PVA–hydrogel, 491B
PVA/PMMA blends, 1469B
PVC, crosslinking, 1239A
—, UV degradation, 1879B
PVC–DMG complex, 1243B
PVC/DOP/petroleum oils, liquid penetration, 1859B
PVC/ENR blends, 1219B
PVC–PSt blend, glass transition temperature, 2485A
—, melting point, 2485A
PVF-containing adhesive films, 765B
PVT scaling parameters, 2603A
Pyrolysis (Py)–mass spectrometry (MS), 123B
Pyrrole, 2169A, 1173B

Quaternary ammonium salt side group, copolymers having, 2837A

Radiation, 1731A
—, grafting, 1229B
Radiation chemical yields, determination, 695A
Radiation-curable coatings, 2037B
Radiation grafting, 2153A, 2165A, 2817A
Radiation-induced grafting, 829B
Radiation-induced graft polymerization, 2817A
Radical-chain copolymerizations, 529B
Radiopaque miscible systems, 1653B
Raman microspectroscopy, 3237A
Rapid polymerization rate, 1567B
Reaction injection molding (RIM), 251A
—, and polyurethane/urea, 251A
—, nylon composites, 3029A
Reaction injection molding (RIM) formulation, influence of catalysts, 237B
Reaction injection molding (RIM) process, 2295A, 237B
Reactive coatings, 803A
Reactivity ratios, 2303B
Residence time distribution (RTD), 681A
Resin beads, 109A
Resins, 109A, 1901A, 727B, 801B, 1065B
—, adhesive, heat-resistant, 2587A
—, as dispersants, 727B
—, epoxide, 789B
—, phenolic 1A
—, thermal stability characteristics, 1855A
—, thermoset, 781B
Reversed-flow gas chromatography, 2237A
Reverse osmosis applications, 1125A
Reynolds number, 351B
Rigid poly(vinyl chloride) (PVC) formulations, photodegradation, 935A
Rigid poly(vinyl chloride) (PVC), sorption, 901A
Rodlike polymers, 2205B
Rubber, coconut-fiber-reinforced, 2645A
—, reinforcement, 2645A
Rubber technology, 987A

SAN copolymers, 513A
SAN/PC blends, 1837A
Scaling parameters, evaluating, 2603A
Scanning electron microscopy (SEM), 817A
SEBS copolymers, 403A
Segmented ionene polymers, 1549B
Segmented polyurethanes, 1929B
Selective permeation, 453B
Self-assembled monolayers, formation, 2767A
Self-assembled octadecyltrichlorosilane (OTS), on mica, 2767A
Semibatch free radical copolymerization processes, 1429A
Semibatch slurry reactor, 1605A, 1625A
Semicontinuous emulsion copolymerization, 2019B
Sequential vapor sorption, 915B
Setting property, 579B
Shape memory, 1191B
Silane coupling agents, 1449A
Silica gel particles, 2183B
Silicone polymers, permeability, 2131B
Silicon, scratch resistant energy coating, 349A
Silicon substrate, 349A

Silk, chemical modification, 2637A
—, property modification, 2637A
Single-screw plasticating extruder, 681A
Size exclusion chromatography, 3195A
Solid solvent, 1339A
Solute dissolution rate, 1233A
Solution polymerization, 2057B
Solvated polymers, hydrodynamic volumes, 2007A
Solvent-induced crystallization (SINC), 1801A
Solvents, 1369B
Specialty polymers, 2837A
Spin-coating, 349A
Stable conductive polymer, preparation, 1921A
Starlike macromers, lignin, 3119A
Star polystyrenes, viscosity–temperature relationships, 2699A
Step-growth polymerization, 3205A, 979B
Structural adhesive technology, 1931A
Structural film adhesives, aging, 15A
Styrene, 1153A
—, anionic polymerization, 1079A
—, copolymerization, 3163A
Styrene-butadiene rubber (SBR), 987A
Styrene butadiene rubber (SBR-1502), 1327A
Styrene butadiene rubber (SBR-1502) FEF-loaded, 1327A
Styrene-butadiene rubber (SBR)-mica composites, 1449A
Styrene–methyl methacrylate random copolymers, 547B
Styrene monomer production, 1079A
Styrene polymerization, 1975B
Styrene (ST), copolymerization with fumaronitrile (FN), 65B
Sulfonated melamine–formaldehyde (SMF) resins, preparation, 2251A, 2263A
Sulfonated PIB telechelic ionomers, 2873A
Sulfonation, 2091B
Sulfonic acid groups, 3399A
Sulfur-containing polymers, 1829B
Sulfur dioxide, copolymerization, 1899B
Surface-active monomers, 2183B
Surface modification, by graft polymerization, 2921A
Surface recession (etching), 3343A
Surface tension, 1295B
Surface tensions, 1667B
Surfactants, 1335B
Suspensions, pseudoplastic behavior, 2973A
—, rheological behavior, 2973A
Synthetic polymer membranes, 299A
Synthetic yarn process, 595A

Talc, 1479B
Temperature measurements, 1739B
Tensile behavior, 2191A
Tensile yield study, 2827A
Ternary blends, 1699B
Tetramethyltin, and CO gas sensor devices, 2341A
Textile fibers, 21B
Thermal behavior, 3281A
Thermal decomposition, 3305A
Thermal degradation, 1439B
—, of polyacrylonitrile, 265B
Thermal field flow fractionation, 1383B
Thermal field-flow fractionation (ThFFF), 2059A
Thermally stimulated depolarization currents (TSDC), 1645A
Thermal reversibility, 1535B
Thermal sampling (TS), 1645A
Thermal shrinkage, 2803A
Thermal shrinkage packing materials, 2803A
Thermoanalysis, 707B
Thermo-crosslinking, 2225B
Thermogravimetric analysis (TGA), 925A, 3263A
Thermogravimetry, 323B
Thermolysis, 2245B
Thermomechanical system (TMS-2), 661A
Thermooxidation, 1913B
Thermooxidative degradation, 1B
Thermoplastic composites, 413B
Thermoplastic elastomers, 1091B
Thermoplastic materials, postforming cooling, 1541A
Thermoplastic polymers, 2205B
Thermoplastic polyurethane, 283A, 2073B
Thermoplastic resins, 453A
Thermoplastics, 1395A, 2383A, 751A, 1899B
—, rubber-toughened, 1395A
—, use of wood fibers, 1089A
Thermoset cure, chemorheology, 889A
Thermoset resins, 781B
Thermosetting polymers, 2155B
Thermosetting resins, 453A
Thermotropic liquid crystalline polymers, 1579A
Theta solvent, 2007A
Thin films, 3343A
Thin polymer films, dissolution, 859B
—, swelling, 859B
Thin poly(methyl methacrylate) (PMMA) films, water sorption, 937B
Torsional braid analysis (TBA), 781B
Transition-metal complexes, 271B
—, immobilization, 271B
Trifluoroacetic acid hydrolyses, 2371A
Trimethylene spacer, 2109A
Trommsdorff effect, 825A
Turbulent drag reduction, and graft copolymers, 2933A
Two-part epoxy paste system, 1137A

Ultrafiltration membranes, 1197B
Ultrafiltration technology, 1125A
Ultrahigh molecular weight polyethylene, 1967B
Ultrahigh molecular weight polyethylene (UHMWPE), 1369B
Ultraviolet irradiation, effect on selective transport of alkali metal ions, 241A
Unsaturated copolyesters, synthesis, 1037B
Unsaturated polyester resins, 2295A, 2313A
Upstream die geometry, 1159A
Urethane films, UV-cured, 627B
Urethane oligomers, mechanical properties, 627B
UV-autocurable methacrylourethanes, 1669A
UV degradation, 1879B
UV spectrophotometry, 547B

van der Poel theory, 1877A
van der Waals theory, 1839B
Vapor phase photografting, 717B
Vinyl chloride, suspension polymerization, 145A
Vinyl monomers, 1253A, 1993A, 539B, 841B
—, graft copolymerization on cellulosic materials, 1253A
Viscometry, 2331A
Viscosity detector, 1383B
Volatile fluids, 1839B
Volatiles, sorption, 915B

Water-insoluble resins, 801B
Water-soluble cationic polymers, 185B
Water sorption, bending-beam study, 937B
Water sorption kinetics, 381A
Wet-spun acrylic yarns, 899B
Wide-angle x-ray diffraction (WAXD), 851A
Wilkinson's salt, 863A, 1595A
Williams–Landel–Ferry (WLF) equation, modified, 889A
Wood, chemical treatment, 1777A
Wood fiber composites, 751A
Wood–polymer composites (WPC), 1777A
Wood pulp, 841B
Wood species, 413B
Wool keratin fibers, crosslinks, 1159B

Xanthate method of grafting, 841B
X-ray lithography, 1589A
Xylan, alkaline extraction, 907B

Yarn, penetration, 661A

Zeolite/polymer membrane, 1791A
Ziegler–Natta catalysts, 1975B
Ziegler–Natta catalyst system, 477B